

RESEARCH ARTICLE | MARCH 16 2021

Nonperturbative decay dynamics in metamaterial waveguides ^{EP}

Iñigo Liberal  ; Richard W. Ziolkowski

 Check for updates

Appl. Phys. Lett. 118, 111103 (2021)

<https://doi.org/10.1063/5.0044103>


View
Online


Export
Citation

CrossMark

Articles You May Be Interested In

Nonperturbative techniques for QED bound states

AIP Conference Proceedings (October 2000)

Nonperturbative calculations in light-front QED

AIP Conference Proceedings (December 2010)

In combat with nonperturbative QCD

AIP Conference Proceedings (April 1997)



A total solution for low-temperature characterization

[Learn more >](#)



Nonperturbative decay dynamics in metamaterial waveguides

Cite as: Appl. Phys. Lett. **118**, 111103 (2021); doi: [10.1063/5.0044103](https://doi.org/10.1063/5.0044103)

Submitted: 14 January 2021 · Accepted: 2 March 2021 ·

Published Online: 16 March 2021




View Online



Export Citation



CrossMark

Íñigo Liberal^{1,2,a)}  and Richard W. Ziolkowski³ 

AFFILIATIONS

¹Electrical and Electronic Engineering Department, Universidad Pública de Navarra, Campus Arrosadía, Pamplona 31006, Spain

²Institute of Smart Cities, Universidad Pública de Navarra, Campus Arrosadía, Pamplona 31006, Spain

³Global Big Data Technologies Centre, University of Technology Sydney, Ultimo, New South Wales 2007, Australia

Note: This Paper is part of the APL Special Collection on Metastructures: From Physics to Applications.

^{a)} Author to whom correspondence should be addressed: inigo.liberal@unavarra.es

ABSTRACT

In this work, we investigate the nonperturbative decay dynamics of a quantum emitter coupled to a composite right-/left-handed transmission line. Our theory captures the contributions from the different spectral features of the waveguide, providing an accurate prediction beyond the weak coupling regime and illustrating the multiple possibilities offered by the nontrivial dispersion of metamaterial waveguides. We show that the waveguide is characterized by a bandgap with two asymmetric edges: (i) a mu-near-zero band edge, where spontaneous emission is inhibited and an unstable pole is smoothly transformed into a bound state, and (ii) an epsilon-near-zero band edge, where the decay rate diverges and unstable and real (bound state) poles coexist. In both cases, branch cut singularities contribute with fractional decay dynamics whose nature depends on the properties of the band edges.

Published under license by AIP Publishing. <https://doi.org/10.1063/5.0044103>

Metamaterial waveguides have been shown to be flexible design platforms for dispersion engineering.^{1,2} Salient spectral features in metamaterial waveguides include propagating bands with a negative refractive index, the possibility of opening bandgaps with a prescribed bandwidth, slow-light frequency points with a vanishing group velocity, and anomalous dispersion in highly absorptive bands. Of particular interest are also those frequency points where the propagation constant of the waveguide crosses zero, in direct connection with the field of near-zero-index (NZI) media.^{3–5} Points with a near-zero refractive index empower unique wave effects. Examples include perfect transmission through deformed waveguides;⁶ intrinsic inhibition of optical turbulence;⁷ photonic doping,⁸ enhanced nonlinear,⁹ modulation,¹⁰ and switching¹¹ capabilities; and highly directive emission,^{12,13} to name a few.

Metamaterial waveguides also have a wide variety of dispersion profiles. Consequently, they pose an interesting playground for exploring nontrivial quantum light emission. For instance, NZI waveguides can either enhance or suppress spontaneous emission.^{14–16} Moreover, the fact that the wavelength is effectively stretched in them enables the observation of superradiance in electrically large samples,^{17–19} as well as having long-range coherent interactions for entanglement generation and many body physics.^{20–24} Recent experiments have shown the

enhancement,²⁵ tunability,²⁶ and position independence²⁷ properties on quantum light emission in NZI metallic waveguides. Furthermore, the experimental demonstration of NZI waveguides in photonic integrated circuits opens the scope and applicability of these concepts even more.^{28,29}

Most works addressing quantum light emission in NZI waveguides operate within the weak coupling regime or Markovian approximation. Thus, they neglect the dispersion of the waveguide near the frequency of emission. However, a complex dispersion profile is precisely what makes metamaterial waveguides unique. Therefore, the Markovian approximation is found to be too simple and may, in fact, hide some of the most interesting aspects provided by this class of waveguides. Furthermore, recent theoretical works have highlighted the importance and opportunities offered by taking into account the nonperturbative decay dynamics of quantum emitters coupled to structured reservoirs,^{30,31} Dirac cone baths,³² and photonic Weyl environments.³³

In this Letter, we study the nonperturbative decay dynamics for a quantum emitter coupled to a metamaterial waveguide. To this end, we consider the archetypical case of a composite right/left-handed (CRLH) transmission line (TL). This case study is of particular interest as it contains a number of typical spectral features including a

propagating band with a negative index, a bandgap with asymmetric edges, and two frequency points with a near-zero refractive index. The general theory that we are presenting finds applicability in NZI waveguides demonstrated at optical frequencies.^{25–29} In addition, we expect that our results could be extrapolated to superconducting circuits,^{34–37} one of the leading platforms for quantum technologies. In fact, CRLH-TLs were first developed at microwave frequencies,^{1,2} where the physical implementation of the waveguiding systems was inspired by their equivalent circuits. Thus, they are quite appealing for an implementation in superconducting circuit technologies. However, we note that our quantization scheme is based on optical electromagnetic fields,^{14,38,39} which is fundamentally different from the standard description of superconducting circuits in terms of flux and charge operators.^{34,37} Nevertheless, our formulation converges to the general model of a two-level system coupled to a bath of photonic modes, and hence, it is representative of many different physical systems. In fact, popular studies of structured superconducting circuit waveguides exhibiting a bandgap use formulations that converge to a Hamiltonian of the same form as we employ herein.³⁶

As schematically depicted in Fig. 1(a), we study the coupling of a quantum emitter to a photonic waveguide. This configuration can be modeled with the usual Hamiltonian for a two-level system, $\{|e\rangle, |g\rangle\}$, with \mathbf{p} being the dipole moment and ω_0 being the transition frequency, coupled to a bath of discrete photonic modes propagating in the waveguide with frequencies ω_k ($\hbar = 1$),

$$H = \omega_0 \sigma^\dagger \sigma + \sum_k \omega_k a_k^\dagger a_k + \sum_k (g_k \sigma^\dagger a_k + h.c.), \quad (1)$$

where $\sigma = |g\rangle\langle e|$ is the emitter’s annihilation operator, a_k is the annihilation operator of the k -th photonic mode, and the sum \sum_k runs over all photonic modes satisfying the waveguide dispersion. We focus on the composite right-/left-handed (CRLH) transmission line (TL)¹ that can be modeled with the equivalent circuit unit-cell depicted in Fig. 1(a). The dispersion of the system can be equivalently described as a one-dimensional (1D) medium characterized by Drude models with the effective relative parameters $\epsilon_r(\omega) = 1 - \omega_{ENZ}^2/\omega^2$ and $\mu_r(\omega) = 1 - \omega_{MNZ}^2/\omega^2$ that have epsilon-near-zero (ENZ) and mu-near-zero (MNZ) frequencies corresponding to the electric and magnetic plasma frequencies: ω_{ENZ} and ω_{MNZ} , respectively.¹ The same material model has been demonstrated to be useful in the description of the coupling of quantum emitters to ENZ and MNZ waveguides.¹⁴

The dispersion relation is given by $k(\omega) = \omega \sqrt{(1 - \omega_{MNZ}^2/\omega^2)(1 - \omega_{ENZ}^2/\omega^2)}/c$, and its values are presented in Fig. 1(b). These show that the waveguide is characterized by a low-frequency propagating band with a negative refractive index, a high-frequency propagating band with a positive refractive index, and a bandgap (evanescent wave region) between the MNZ and ENZ frequencies. The refractive index of the waveguide approaches zero at both these band edges. The coupling strength is given by¹⁴ $g_k = -i(\mathbf{p} \cdot \mathbf{e}_k) \sqrt{\frac{\omega_k}{2\epsilon_0 L} Z(\omega_k) \frac{v_g(\omega_k)}{c}}$, where \mathbf{e}_k is the unit polarization vector of the modes, $Z(\omega_k) = \sqrt{(1 - \omega_{MNZ}^2/\omega^2)/(1 - \omega_{ENZ}^2/\omega^2)}$ is the normalized impedance of the waveguide, $v_g(\omega_k) = d\omega/dk$ is the group velocity, and L is the quantization length. Note that L does not correspond to a finite length of the waveguide. It is considered to be




FIG. 1. (a) Sketch of a quantum emitter modeled as a two-level system, $\{|e\rangle, |g\rangle\}$, with transition frequency ω_0 that is coupled to a metamaterial waveguide with the equivalent circuit model shown in the inset. (b) Dispersion diagram of the metamaterial waveguide characterized by a bandgap between the mu-near-zero ω_{MNZ} and epsilon-near-zero ω_{ENZ} frequencies. (c) Projection of the self-energy on the real axis: $\Sigma_e(\omega + i0^+) = \Delta\omega(\omega) - i\Gamma(\omega)/2$. Its real and imaginary parts describe the frequency shift $\Delta\omega(\omega)$ and decay rate $\Gamma(\omega)$, respectively.

infinite in our model in the sense that $L \rightarrow \infty$ is implicit in the continuum limit. In this manner, the waveguide features two points where the refractive index approaches zero, i.e., the MNZ and ENZ frequencies, at which extremely different impedance and coupling strength behaviors are exhibited, i.e., zero and infinity.

We assume that the system is initially excited, $|\psi(t=0)\rangle = \sigma^\dagger|0\rangle$, and that it decays into a general single-excitation state $|\psi(t)\rangle = [C_e(t)\sigma^\dagger + C_k(t)a_k^\dagger]|0\rangle$. Within this framework, the exact time evolution of the probability amplitudes can be determined by using the resolvent operator method.⁴⁰ Equivalently, one can solve




FIG. 2. Sketch of the complex plane including the integration contour for the resolvent $G_e(z)$ and its singularities. The unstable poles, bound states (poles in the real axis), and branch cuts are indicated.

the Schrödinger equation by using the Laplace transform method. By changing variables $s = -iz$, the inverse Laplace transform for the probability amplitude of the emitter being excited can be written as an integral over a contour on top of the real axis (see Fig. 2),

$$C_e(t) = -\frac{1}{2\pi i} \int_{i0^+ - \infty}^{i0^+ + \infty} dz G_e(z) e^{-izt}, \quad (2)$$

with the resolvent

$$G_e(z) = \frac{1}{z - \omega_0 - \Sigma_e(z)} \quad (3)$$

and the self-energy

$$\Sigma_e(z) = \sum_k \frac{|g_k|^2}{z - \omega_k}. \quad (4)$$

The expression for the probability amplitude $C_e(t)$ given by Eq. (2) is exact within the framework established by the Hamiltonian in Eq. (1). In this manner, the solution can accurately describe both the weak and strong coupling regimes, as well as the intermediate cases. However, the formulation will not be accurate in the ultra-strong coupling regime, where the rotating wave approximation implicit in Eq. (1) does not hold.

Evaluating the self-energy in the continuum limit, $\sum_k \rightarrow \frac{L}{2\pi} \int dk$, integrating over the frequencies with the replacement $\int dk = \int d\omega / v_g(\omega)$, applying the Kramers-Kronig relations, and removing the high-frequency divergence lead to the following compact expression:

$$\Sigma_e(z) = -iA \sqrt{\frac{z^2 - \omega_{MNZ}^2}{z^2 - \omega_{ENZ}^2}}, \quad (5)$$

where $A = |\mathbf{p}|^2 \omega_0 / (4c\epsilon_0)$. We used the value $A = 0.01\omega_p$ for the numerical examples so that the nonperturbative effects are evident even though the effects are qualitatively the same for other values of A as long as the rotating wave approximation we used in our Hamiltonian (1) remains valid. The real and imaginary parts of the projection of the self-energy on the real frequency axis, $\Sigma_e(\omega + i0^+) = \Delta\omega(\omega) - i\Gamma(\omega)/2$, correspond to the frequency shift

and decay rate, respectively. They are depicted in Fig. 1(c). The main characteristic that differentiates the CRLH transmission line from other dispersive and slow-light waveguides is the presence of its asymmetric band edges. Although the group velocity becomes zero at both band edges, the decay rate diverges at the ENZ frequency and vanishes at the MNZ frequency in accordance with a previous study in the weak coupling regime.¹⁴

The dispersion properties of the self-energy exemplify the great degree of design flexibility offered by metamaterial waveguides, particularly near the band edges. On the one hand, the divergence of the decay rate near the ENZ frequency enables the enhancement of the emitters decay rate (brightness) and a more efficient (deterministic) coupling to the waveguide mode. The soft transition at the MNZ frequency enables tuning between the dissipative and collective interactions. Moreover, the fact that these responses take place at points where the propagation constant vanishes ($k = 0$) suggests that our configuration is an interesting platform for investigating long-range collective interactions, which are of interest for entanglement generation and many-body physics.

By using complex analysis techniques, the integration can be closed in the lower half-plane and the time evolution of the probability amplitude can be rewritten with the residue theorem as the sum of the contributions from the different singularities in the complex plane. As schematically depicted in Fig. 2, they consist of three poles and two branch cuts. Thus, the probability amplitude is given by their contributions as

$$C_e(t) = R_1 e^{-iz_1 t} + R_2 e^{-iz_2 t} + R_{BS} e^{-ix_{BS} t} + C_{BC,ENZ}(t) + C_{BC,MNZ}(t). \quad (6)$$

Next, we analyze in detail the individual contribution from each of these singularities.

First, we focus on the contribution from the poles. The poles of the resolvent are found at positions in the complex plane $z_\beta = x_\beta + iy_\beta$ corresponding to the solutions to the implicit equation $z_\beta = \omega_0 + \Sigma_e(z_\beta)$. Each contributes to the probability amplitude as an exponential decay term, $R_\beta e^{-iz_\beta t}$, where the initial-time ($t = 0$) contribution can be computed via the residue theorem, which, for a pole of order one, can be compactly written as $R_\beta = (1 - [\partial_z \Sigma_e(z)]_{z=z_\beta})^{-1}$.

Figure 2 schematically depicts the position of the three different poles that are associated with this waveguide. Figs. 3(a) and 3(b) show the projections of the poles on the real x_β and imaginary y_β axis, respectively, as functions of the transition frequency of the emitter ω_0 . The existence of poles critically depends on the position of ω_0 with respect to the dispersion properties of the waveguide. Specifically, the three different poles are (i) an unstable pole z_1 , i.e., a pole with $y_\beta < 0$, which exists when the transition frequency of the emitter lies within the low-frequency (negative index) propagating band, $\omega_0 \leq \omega_{MNZ}$; (ii) an unstable pole z_2 that exists when the transition frequency of the emitter lies within the high-frequency (positive index) propagating band, $\omega_0 \geq \omega_{ENZ}$; and (iii) a bound state $z_{BS} = x_{BS}$, i.e., a pole exactly located on the real axis, $y_{BS} = 0$, which exists for $\omega_{BS} \geq \omega_{MNZ}$.

As a consequence of the asymmetric edges of the bandgap, the existence of the bound state is not guaranteed for all values of ω_0 . Specifically, the diverging and negative values of $\Delta\omega(\omega)$ near ω_{ENZ} ensure that a real solution to $x_{BS} = \omega_0 + \Delta\omega(x_{BS})$ exists even for very large values of ω_0 , with $x_{BS} \sim \omega_{ENZ}$ [see Fig. 3(a)]. This behavior has been observed at the band edges of other photonic nanostructures.^{41–44}




FIG. 3. Locations of the poles, $z_\beta = x_\beta + iy_\beta$, in the complex plane including two unstable poles $\beta = 1, 2$ and a bound state $\beta = \text{BS}$, as described by their projections onto the (a) real x_β and (b) imaginary y_β axis. The evaluation of the decay rate $\Gamma(x_\beta)$ is included for the sake of comparison.

However, because $\Delta\omega(\omega)$ approaches zero at ω_{MNZ} , there are no real solutions to $x_{\text{BS}} = \omega_0 + \Delta\omega(x_{\text{BS}})$ for $\omega_0 < \omega_{\text{MNZ}}$. For the same reason, there is a soft transition where an unstable pole is smoothly transformed into a bound state as the emitter’s frequency decreases below ω_{MNZ} . This property might be of interest for shifting between dissipative and coherent interactions by tuning the frequency of the emitter.

The projections of the poles onto the imaginary axis indicate how fast the contributions from the poles decay. In general, the decay rate, i.e., the imaginary part of the projection of the self-energy on the real axis, $\Gamma(x_\beta)$, provides a good approximation of the behavior of the poles [see Fig. 3(c)]. However, the decay rate $\Gamma(x_\beta)$ is predicted to diverge at the ENZ frequency. This is an expected, unrealistic behavior. As shown in Fig. 3(c), the nonperturbative theory predicts that the imaginary part of the pole saturates to a finite value in the $\omega_0 \rightarrow \omega_{\text{ENZ}}$ limit, which, in turn, imposes a limit on the speed of the decay process. In practice, a divergent decay rate will never be observed due to dissipation losses and fabrication tolerances. However, this result highlights that nonperturbative effects act as an additional limiting factor on the enhancement of the decay rate in dispersive waveguides.

Figure 4(a) depicts the magnitude of initial time ($t = 0$) contributions of the poles as a function of the transition frequency of the emitter ω_0 . As expected, once the emitter is located well within the propagating band, the response of the system is dominated by the contribution of a single unstable pole. However, a more complex scenario takes place near the band edges. When the emitter’s frequency equals the ENZ frequency, $\omega_0 = \omega_{\text{ENZ}}$, the contribution of the bound state




FIG. 4. Magnitude of the initial time ($t = 0$) contributions for the probability amplitude, including the unstable poles associated with the low-frequency R_1 and high-frequency R_2 propagating bands, the bound state R_{BS} , and the mu-near-zero $R_{\text{BC_MNZ}}$ and epsilon-near-zero $R_{\text{BC_ENZ}}$ branch cuts.

and the higher-band unstable pole is of equal significance. This situation leads to interference effects in the decay dynamics. On the other hand, when the emitter’s frequency equals the MNZ frequency, $\omega_0 = \omega_{\text{MNZ}}$, the contributions from the poles suddenly drop to zero and the dynamics become entirely dominated by the contribution from the branch cuts. This behavior is justified by the fact that the derivative of the self-energy diverges at $z = \omega_{\text{MNZ}}$. It is clear that it is crucial to account for nonperturbative phenomena in both cases to properly access the exact decay dynamics near the band edges.

The contributions from the branch cuts, $C_{\text{BC_ENZ}}(t)$ and $C_{\text{BC_MNZ}}(t)$, are harder to analyze as they require numerical integration along vertical paths in the complex plane (see Fig. 2). Intuitively, one can understand these contributions as arising from a collection of singularity contributions leading to a fractional decay. This intuition is ratified by observing the long-time limits of the integral, which yield fractional decay rates: $\lim_{t \rightarrow \infty} C_{\text{BC_ENZ}}(t) \propto t^{-\frac{3}{2}}$ and $\lim_{t \rightarrow \infty} C_{\text{BC_MNZ}}(t) \propto t^{-\frac{1}{2}}$. Again, we find that the asymmetric band edges present very different properties. Specifically, the ENZ branch cut contributes with a $t^{-\frac{3}{2}}$ power law similar to that predicted for other slow-light waveguides.³⁰ On the other hand, the MNZ branch cut exhibits a slower power law decay, $t^{-\frac{1}{2}}$. The initial time contributions, $C_{\text{BC_ENZ}}(t = 0)$ and $C_{\text{BC_MNZ}}(t = 0)$, depicted in Fig. 4(a), illustrate that the branch cuts only produce a significant contribution when the transition frequencies of the emitter are near the branch points given by the ENZ and MNZ frequencies.

To finalize, Fig. 5 displays some representative examples of the time evolution of the survival probability of the excited state, $|C_e(t)|^2$, as the emitter’s frequency is scanned through the dispersion profile of the waveguide. These examples serve to highlight the variety of temporal profiles that can take place when different singularities in the complex plane become dominant.

First, when the emitter is tuned to the low-frequency propagating band, e.g., $\omega_0 = 0.6 \omega_{\text{ENZ}}$, the decay dynamics exhibit a near exponential decay. This property is justified by the fact that the response is dominated by a single unstable pole. Second, when the emitter is tuned to the MNZ frequency: $\omega_0 = 0.8 \omega_{\text{ENZ}} = \omega_{\text{MNZ}}$, the time evolution displays the slow fractional decay that arises from the branch cut contribution. Therefore, although the MNZ band edge enables a smooth transition from an unstable pole to a bound state, the decay dynamics




FIG. 5. Representative examples of the time evolution of the survival probability of the excited state, $|C_e(t)|^2$, for different transition frequencies. The case studies include the emitter being tuned to (i) the low-frequency propagating band at $\omega_0 = 0.6 \omega_{ENZ}$, (ii) the mu-near-zero frequency at $\omega_0 = 0.8 \omega_{ENZ} = \omega_{MNZ}$, (iii) the middle of the bandgap at $\omega_0 = 0.85 \omega_{ENZ}$, (iv) the epsilon-near-zero frequency at $\omega_0 = \omega_{ENZ}$, and (v) the high-frequency propagating band at $\omega_0 = 1.2 \omega_{ENZ}$.

will exhibit a residual and slow fractional decay when the emitter is tuned very close to that band edge. When the emitter is tuned to the middle of the bandgap, e.g., $\omega_0 = 0.85 \omega_{ENZ}$, the temporal profile is characterized by a fast decay into a long-lived bound state. Interestingly, when the emitter is tuned to the ENZ frequency: $\omega_0 = \omega_{ENZ}$, the decay dynamics exhibit a complex and slow oscillatory decay. Although a fast decay would be expected from the weak coupling regime because of the Purcell enhancement at the band edge, the interference between the unstable pole, bound state, and branch cut contributions results in a significantly different profile. Finally, when the emitter is tuned well into the high-frequency propagating band, e.g., $\omega_0 = 1.2 \omega_{ENZ}$, the decay is again dominated by a near-exponential profile associated with a single unstable pole.

In conclusion, our results illustrate the wealth of decay dynamics phenomena that can be observed in metamaterial waveguides that have a complex dispersion profile. We have shown that not all slow-light band edges are equal. Some present a divergent behavior of the decay rate that is of particular interest for bright and deterministic photon sources, while others enable the smooth transition from an unstable pole to a bound state that is of particular interest for entanglement generation and many-body physics. Finally, it is crucial to properly account for the branch cut contributions since they lead to fractional decay rates whose properties also depend on the characteristics of the band edge. A previous work has identified that the decay rate of emitters coupled to NZI media critically depends on the dimensionality of the system,¹⁴ and similar considerations are likely to take place in the nonperturbative regime. We decided to restrict our analysis to the 1D case because most experiments on quantum emitters coupled to NZI systems consist of waveguides and higher dimensional realizations of NZI systems required dealing with much more complex dispersion characteristics. In general, we expect that our nonperturbative decay dynamics theory will be very relevant for a number of metamaterial waveguides in the optical regime and for microwave superconducting circuits with similar dispersion profiles.

I.L. acknowledges support from H2020-ERC-2020-StG-94850, Ramón y Cajal fellowship RYC2018-024123-I, and Project No. RTI2018-093714-J-I00 sponsored by MCIU/AEI/FEDER/UE.

DATA AVAILABILITY

The data that support the findings of this study are available within this article.

REFERENCES

- C. Caloz and T. Itoh, *Electromagnetic Metamaterials: Transmission Line Theory and Microwave Applications* (John Wiley & Sons, 2005).
- G. V. Eleftheriades and K. G. Balmain, *Negative-Refraction Metamaterials: Fundamental Principles and Applications* (John Wiley & Sons, New York, 2005).
- I. Liberal and N. Engheta, *Nat. Photonics* **11**, 149 (2017).
- R. W. Ziolkowski, *Phys. Rev. E* **70**, 046608 (2004).
- N. Engheta, *Science* **340**, 286 (2013).
- M. G. Silveirinha and N. Engheta, *Phys. Rev. Lett.* **97**, 157403 (2006).
- I. Liberal, M. Lobet, Y. Li, and N. Engheta, *Proc. Natl. Acad. Sci.* **117**, 24050 (2020).
- I. Liberal, A. M. Mahmoud, Y. Li, B. Edwards, and N. Engheta, *Science* **355**, 1058 (2017).
- O. Reshef, I. De Leon, M. Z. Alam, and R. W. Boyd, *Nat. Rev. Mater.* **4**, 535 (2019).
- M. G. Wood, S. Campione, S. Parameswaran, T. S. Luk, J. R. Wendt, D. K. Serkland, and G. A. Keeler, *Optica* **5**, 233 (2018).
- Y. Yang, K. Kelley, E. Sachet, S. Campione, T. S. Luk, J. P. Maria, M. B. Sinclair, and I. Brener, *Nat. Photonics* **11**, 390 (2017).
- S. Enoch, G. Tayeb, P. Sabouroux, N. Guérin, and P. Vincent, *Phys. Rev. Lett.* **89**, 213902 (2002).
- M. Memarian and G. V. Eleftheriades, *Nat. Commun.* **6**, 5855 (2015).
- M. Lobet, I. Liberal, E. N. Knall, M. Z. Alam, O. Reshef, R. W. Boyd, N. Engheta, and E. Mazur, *ACS Photonics* **7**, 1965 (2020).
- A. Alù and N. Engheta, *Phys. Rev. Lett.* **103**, 043902 (2009).
- A. M. Mahmoud and N. Engheta, *Nat. Commun.* **5**, 5638 (2014).
- R. Fleury and A. Alù, *Phys. Rev. B* **87**, 201101 (2013).
- P. Li, X. Yang, T. W. W. Maß, J. Hanss, M. Lewin, A.-K. U. Michel, M. Wuttig, and T. Taubner, *Nat. Mater.* **15**, 870 (2016).
- R. Sokhoyan and H. A. Atwater, *Opt. Express* **21**, 32279 (2013).
- I. Liberal and N. Engheta, *Phys. Rev. A* **97**, 022309 (2018).
- E. Özgün, E. Ozbay, and H. Caglayan, *ACS Photonics* **3**, 2129 (2016).
- E. Shahmoon and G. Kurizki, *Phys. Rev. A* **87**, 033831 (2013).
- A. M. Mahmoud, I. Liberal, and N. Engheta, *Opt. Mater. Express* **7**, 415 (2017).
- Y. Li, A. Nemilentsau, and C. Argyropoulos, *Nanoscale* **11**, 14635 (2019).
- J. K. So, G. H. Yuan, C. Soci, and N. I. Zheludev, *Appl. Phys. Lett.* **117**, 181104 (2020).
- Y. J. Lu, R. Sokhoyan, W. H. Cheng, G. Kafaie Shirmanesh, A. R. Davoyan, R. A. Pala, K. Thyagarajan, and H. A. Atwater, *Nat. Commun.* **8**, 1631 (2017).
- E. J. R. Vespeur, T. Coenen, H. Caglayan, N. Engheta, and A. Polman, *Phys. Rev. Lett.* **110**, 013902 (2013).
- O. Reshef, P. Camayd-Muñoz, D. I. Vulis, Y. Li, M. Lončar, and E. Mazur, *ACS Photonics* **4**, 2385 (2017).
- Y. Li, S. Kita, P. Muñoz, O. Reshef, D. I. Vulis, M. Yin, M. Lončar, and E. Mazur, *Nat. Photonics* **9**, 738 (2015).
- A. González-Tudela and J. I. Cirac, *Phys. Rev. A* **96**, 1 (2017).
- A. González-Tudela and J. I. Cirac, *Phys. Rev. Lett.* **119**, 1 (2017).
- A. González-Tudela and J. I. Cirac, *Phys. Rev. A* **97**, 1 (2018).
- I. García-Elcano, A. González-Tudela, and J. Bravo-Abad, *Phys. Rev. Lett.* **125**, 163602 (2020).
- X. Gu, A. F. Kockum, A. Miranowicz, Y. Xi Liu, and F. Nori, *Phys. Rep.* **718–719**, 1 (2017).
- M. Mirhosseini, E. Kim, V. S. Ferreira, M. Kalae, A. Siphahigil, A. J. Keller, and O. Painter, *Nat. Commun.* **9**, 3706 (2018).
- Y. Liu and A. A. Houck, *Nat. Phys.* **13**, 48 (2017).

- ³⁷A. Parra-Rodriguez, E. Rico, E. Solano, and I. L. Egusquiza, *Quantum Sci. Technol.* **3**, 024012 (2018).
- ³⁸P. W. Milonni, *J. Mod. Opt.* **42**, 1991 (1995).
- ³⁹P. W. Milonni and G. Jordan Maclay, *Opt. Commun.* **228**, 161 (2003).
- ⁴⁰C. Cohen-Tannoudji, J. Dupont-Roc, G. Grynberg, and P. Thickstum, *Atom-Photon Interactions: Basic Processes and Applications* (Wiley, New York, 1992).
- ⁴¹V. Paulisch, H. J. Kimble, and A. González-Tudela, *New J. Phys.* **18**, 043041 (2016).
- ⁴²S. John and T. Quang, *Phys. Rev. A* **50**, 021764 (1994).
- ⁴³S. John and J. Wang, *Phys. Rev. Lett.* **64**, 202418 (1990).
- ⁴⁴T. Shi, Y. H. Wu, A. Gonzalez-Tudela, and J. I. Cirac, *Phys. Rev. X* **6**, 021027 (2016).