1	Holistic Resilience Index: measuring the expected country resilience to
2	pandemic
3	Salvatore F. Pileggi *1
4	¹ University of Technology Sydney (Australia)
5	March 2021

 $^{{}^*}Salvatore Flavio. Pileggi @uts.edu.au$

Abstract

This study aims to holistically measure the expected resilience of the different countries to a global 7 pandemic like COVID-19. The proposed indicator has been designed looking at the direct and indirect 8 impact of the COVID-19 pandemic on our society at different levels, including health and socio-economic 9 aspects. More concretely, the resulting index has been produced by combining 11 different indicators grouped 10 in 5 categories. It is actually composed of two sub-indicators that aim to measure the expected resilience 11 according, respectively, to the data available in a given moment and to a period of development. The 12 former sub-indicator depends on the actual values of the underpinning indicators, while the latter takes into 13 account only their variation in a given time. In this paper we address 22 countries among the most affected by 14 COVID-19, looking at recent pre-pandemic data and at the development in the past 20 years. As expected, 15 the combination of the two methods determines contrasting results but also a more comprehensive analysis 16 framework. As part of the lesson learnt, we do expect countries to prioritise the increasing of their holistic 17 resilience to situations of pandemic. 18

¹⁹ Keywords: COVID-19, Indicators, Data Analysis, Resilience

20 1 Introduction

6

While the COVID-19 pandemic crisis is in a new critical phase characterised by the massive vaccination rollout in the most developed countries [Scudellari2020], upon scientists warns [Murdoch2020], WHO urges nations to prepare for future pandemics as it is unlikely that this will be the last one [WHO], as well as we need to rethink sustainable pathways for our planet [Naidoo and Fisher2020].

A clear picture of the impact of COVID-19 in terms of human lives is provided by the John Hopkings 25 University trought a real-time dashboard [Dong et al.2020]. Beyond those dramatic statistics, socio-economic 26 implications are progressively being assessed [Bashir et al.2020], pointing out a situation of generalised distress. 27 Apart from the well-known economic issues [Nicola et al. 2020], fear, uncertainty [Chater 2020] [Altig et al. 2020] 28 and the restrictions in place in most countries (e.g. social distancing, lock-down, travel-ban) to contain the 29 spread of the virus [Haug et al.2020], are contributing to an even more alarming picture characterised, among 30 others, by increasing mental illness [Fofana et al.2020], increasing violence against women [Roesch et al.2020], 31 aggressive behaviour [Mazza et al.2020], increasing concerns about the misuse or abuse of alcohol [Clay and 32 Parker2020] and use of illegal drugs [Zaami et al.2020]. 33

In this evolving situation across the different mutations of COVID-19 [Kupferschmidt2021], most hopes rely on vaccines [Le et al.2020] and treatments [Felsenstein et al.2020], as well as government [Cheng et al.2020] and individual response play a significant role [Van Bavel et al.2020]. In this complex and mostly still undefined context, the concept of vulnerability in itself should probably be redefined [Lancet2020]. At the same time, resilience becomes a key concept, looking at individuals [Killgore et al.2020], families [Prime et al.2020] and the whole society (e.g. in terms of health system [Legido-Quigley et al.2020]).

In the context of this work, we consider country resilience from an holistic perspective, as we are dynamically looking at a number of criteria that are ultimately combined together to likely express the expected resilience of a given country in a situation of pandemic.

This study aims to holistically measure the expected resilience of the different countries to a global pan-43 demic. By analysing the direct and indirect impact of the pandemic on our society at different levels, including 44 health and socio-economic aspects, 11 different indicators grouped in 5 categories have been selected and an 45 index has been produced accordingly by combining them. The holistic indicator is actually composed of two 46 sub-indicators that aim to measure the expected resilience according, respectively, to the data available in a 47 given moment and to a period of development. The former sub-indicator depends on the actual values of the 48 underpinning indicators, while the latter takes into account only their variation in a given time. We have com-49 puted such indicators for 22 countries among the most affected by COVID-19, looking at recent pre-pandemic 50 data and at the development in the past 20 years. The final indicator can be computed for any other country 51 not included in this study upon data availability, as well as input indicators may be potentially refined. As 52 expected, the combination of the two methods determines contrasting results but also a more comprehensive 53 analysis framework. As part of the lesson learnt in this challenging period, we do expect countries to prioritise 54 the increasing of their holistic resilience to situations of pandemic. 55

55 Structure of the paper. The paper is organised according to a classic structure as materials and methods 57 are firstly discussed, then results are presented and discussed in context considering current limitations. Ad-58 ditionally, the paper includes also three annexes which report, respectively, missing data, an overview of the raw data underpinning the target indicator and a summary of the development trends in the period object of
 analysis.

⁶¹ 2 Materials and Methods

From a methodological perspective, there are basically two key characterizing aspects underlining this work: (i) the selection of indicators and (ii) the computational method to combine them into a unique index. They are object of detailed discussion in the following sub-sections.

65 2.1 Categories and Indicators

Looking at the impact of the global pandemic on our lives, 5 different dimensions have been selected to define the global resilience to pandemic of a given country. Indeed, the generic *health* has been integrated with an additional category that more specifically targets the *healthcare infrastructure* to be properly considered in a certain demographic context (*demography*). The socio-economic context is represented by two separate categories (*economy* and *society*).

We are not explicitly considering a category associated with the environment at this stage. Indeed, de-71 spite the existence of several researches which aim to investigate possible relationships between COVID-19 72 mortality/spread and environmental factors (e.g. air pollution [Fattorini and Regoli2020]) as well as between 73 COVID-19 and climate change [Beyer et al.2021], we consider that, at the best of our current knowledge, such 74 a category could play a less determinant role than the previously proposed ones to measure holistic resilience in 75 the aimed extent of this study. However, we believe that we are indirectly considering certain aspects related 76 to the environment, for instance considering the *death rate* (which normally also includes deaths caused by air 77 pollution [Jerrett2015]) as an indicator. 78

The indicators selected for each category are reported in Table 1. The table also includes supporting indicators, namely those indicators which are not adopted to produce the index but are used in this work to perform computations (e.g. normalization) or to discuss the current impact of COVID-19. A *wished trend* (or value range) is related to each indicator. It may have two values: *increasing* (or *positive*) for indicators we would like to have a positive trend or high value associated with; *decreasing* (or *negative*) when we would like the value of the indicator decreasing or, in general, as low as possible. For instance, we would like a decreasing/negative unemployment rate and an increasing/positive expenditure in healthcare.

The health infrastructure category has been proposed as, in a situation of pandemic, the healthcare system is definitely under serious stress and, indeed, the most immediate response and management aim to keep the curve within the capability of the healthcare infrastructure. We have chosen two different indicators for this categories, the *current health expenditure as a % of the GDP* and the *number of hospital beds*. The former provides a clear understanding of the investment in healthcare of a given country and becomes very valuable looking at its evolution in the time. The latter is a kind of approximation to consider the capability of the hospital network in a given country.

The health category pretends to capture, at a very generic level, the health status of a given country. It's hard to figure out such a figure provided by a restricted number of indicators. We have chosen the *death rate* and, looking at the most immediate effects, *people with mental health disorders*. For this last indicator, the assumption is that a country which detects and properly deals with mental health disorder is more prepared (and, therefore, more resilient) to face a significant increasing of cases.

Economy plays an important role in terms of social stability and may affect governments strategy in the mid/long term. We consider the most classic economic indicator ($GDP \ x \ capita$) both with an indicator that measures inequality ($GINI \ Index$). In general terms, an healthy economy characterised by limited inequality is associated with higher resilience.

Demographic indicators aim to have a more in context analysis by providing key information about a given population. Looking at the characteristics of COVID-19, we have selected the *population density* and the *median age of population*. In terms of resilience, we expect low density to be a favourable factor to contrast the spreading of the virus, while a low median age may potentially contribute to a lower mortality rate.

The last category (society) is the less specific and includes 3 different indicators: *unemployment rate*, *alcohol consumption x capita* and *attitude towards violence against women*. The first indicator becomes crucial in the very likely situation of economic distress caused by a pandemic, with a largely predictable high numbers of job loss. Countries with high unemployment rates could be especially vulnerable from a socio-economic perspective. Statistics related to alcohol consumption want to reflect the potential abuse/misuse of substance (legal or illegal) under the assumption that countries with high-consumption in "normal" circumstances have

	Indicator	Wished Trend / Value Range	Source
		Healthcare Infrastructure	
HI.1	Current health expenditure (% of GDP)	INCREASING / POSITIVE	WHO [heab], retrieved from [heaa]
HI.2	Hospital beds (x 10k population)	INCREASING / POSITIVE	WHO [hos]
		Health	
H.1	Death rate, crude (per 1000 people)	DECREASING / NEGATIVE	World Bank [dea]
H.2	People with mental health disorders	DECREASING / NEGATIVE	GDB 2016 & IHME [men], retrieved from [Ritchie and Roser2018]
		Economy	
E.1	GDP x capita	INCREASING / POSITIVE	World Bank [GDP]
E.2	GINI Index	DECREASING / NEGATIVE	World Bank [gin]
		Demography	
PD.1	Population Density (people per sq. km of land area)	DECREASING / NEGATIVE	World Bank [den]
PD.2	Median age of population	DECREASING / NEGATIVE	United Nations [age]
		Society	
S.1	Unemployment rate (% of total labor force)	DECREASING / NEGATIVE	International Labour Organization, ILOSTAT database [unea]. Re- trieved from [uneb]
S.2	Total alcohol consumption per capita (liters of pure alcohol, projected estimates, 15+ years of age)	DECREASING / NEGATIVE	WHO, retrieved from [alc]
S.3	Violence against women (attitudes towards violence)	DECREASING / NEGATIVE	OECD [vio]
		Supporting	
SP.1	Total Population	N/A	United Nations, retrieved from [Tot]
SP.2	COVID-19: Government Strin-	N/A	Oxford COVID-19 Government
	gency index		et al.2021]
SP.3	Share of the population fully vacci- nated against COVID-19	N/A	[Mathieu et al.2021]
SP.4	Mortality Analyses	N/A	John Hopkins University - Coron- avirus Resource Center [JHU]

Table 1: Indicators by category.

less resilience as they might experiment a substantial increase in a situation of pandemic. Violence against women is representative in this case of any kind of domestic violence. The key assumption and interpretation in terms of resilience are similar to the previously discussed indicator. However, despite domestic violence is unfortunately very diffused, it is not always properly reported and statistics could be not very accurate.

As explained, the input indicators have been selected looking at current trends and studies on the impact of COVID-19 on various aspects of life. Such a dataset is considered to be pertinent and relevant within the intent and extent of this study. However, it is also expected to be refined in the future in the light of further investigation on the topic.

120 2.2 Computations

The target indicator HR to measure the expected holistic resilience of a country to a situation of pandemic is composed of two different sub-indicators (eq. 1a) as follows:

- Snapshot component (HR_{c,t_n}^S) expresses the expected holistic resilience according to the data at the time t_n . As explained later on in the section, such a component is generated by computing average values and deviations from the average. Indeed, it depends on indicator values and on the set c of countries considered.
- Trend component $(HR_{c,[t_0,t_n]}^T)$ proposes a completely different perspective, as the expected holistic resilience is computed looking at the development of raw indicators in the period of observation $[t_0, t_n]$.

Since trends are modelled as variations in percentage between data at the time t_n and at the time t_0 , this

sub-indicator doesn't depend on the values of the underpinning indicators but just on their variations.
 Additionally, the outcome associated with a given country is fully independent as it has no relationship
 with value associated with the other countries considered.

$$HR_{c,[t_0,t_n]} = (HR_{c,t_n}^S, HR_{c,[t_0,t_n]}^T)$$
(1a)

$$HR_{c,[t_0,t_n]}^C = w_S \cdot HR_{c,t_n}^S + w_T \cdot HR_{c,[t_0,t_n]}^T$$
(1b)

W

$$v_{\rm S} + w_{\rm T} = 1 \tag{1c}$$

The two sub-indicators may be weighted and eventually combined together to produce a single indicator (eq. 1b and 1c).

Missing values and approximations. Missing values are reported in Annex A.1. Given the indicator k for the country c considered in given period of time, intuitively, a missing value at the time i, $a_m^{k,c}(i)$, is approximated by the closest available value $a^{k,c}(j)$, with a priority to previous values (j < i) according to the time dimension. The strategy is formally described by Algorithm 1.

Algorithm 1 Approximation for missing data. for all $a_m^{k,c}(i)$ do if $\exists a^{k,c}(j < i)$ then $a_m^{k,c} \leftarrow a^{k,c}(j), \not\exists a^{k,c}(h) : |i - h| < |i - j|$ else $a_m^{k,c} \leftarrow a^{k,c}(j > i), \not\exists a^{k,c}(h) : |i - h| < |i - j|$ end if end for

Such a simple approach is justified by the computation methods adopted which are affected primarily by extreme values along the time dimension, namely the first and the last one. If such a values are available, computations are accurate, regardless of other missing data. On the other side, if some extreme value is missed, computations are approximated. The availability of close values determine somehow the level of uncertainty.

Snapshot sub-indicator (HR^S). Given a set of countries c and k indicators at the time t_n , the snapshot sub-indicator is computed according to eq. 2a as the sum of the contributions $s_{k,c}$ of single indicators. Each indicator k is associated with a weight w_k and with a wished trend/value α_k , which determines the sign of the contribution to the indicator as per previous explanations. The contribution of a single indicator (eq. 2b) is computed as the deviation in percentage from the average value $\bar{s}_{k,c}$ of the indicator k over the c countries (eq. 2c). Finally, the sub-indicator can be expressed according to a 100 scale (eq. 2d).

$$HR_{c,t_n}^S = \sum_k \alpha_k \cdot w_k \cdot s_{k,c}(t_n)$$
(2a)

$$\alpha_k = \begin{cases} 1 & \text{when } k \text{ is INCREASING/POSITIVE} \\ -1 & \text{when } k \text{ is DECREASING/NEGATIVE} \end{cases}$$

$$s_{k,c}(t_n) = (a^{k,c}(t_n) - \bar{s}_k(t_n)) \cdot 100/\bar{s}_{k,c}(t_n)$$
 (2b)

$$\bar{s}_{k,c}(t_n) = (\sum_c a^{k,c}(t_n))/c$$
(2c)

$$HR_{c,t_{n}}^{S|100} = HR_{c,t_{n}}^{S} \cdot 100 / \max_{c} |HR_{c,t_{n}}^{S}|$$
(2d)

Trend sub-indicator (HR^T). It is computed adopting a simplified version of the method proposed in [Pileggi2020]. This sub-indicator refers to a period of observation $[t_0, t_n]$ and adopts the extreme values t_0 and t_n for computations. The contribution $p_{k,c}$ of each raw indicator to the outcome (eq. 3a) is defined as the variation in percentage between the two extreme values (eq. 3b). Like the Snapshot sub-indicator, the Trend sub-indicator can be expressed in a 100 scale (eq. 3c). This last version of the indicator depends on the values computed for other countries, while the generic version (eq. 2a) is completely independent.

$$HR_{c,[t_0,t_n]}^{T} = \sum_{k} \alpha_k \cdot w_k \cdot p_{k,c}(t_0,t_n)$$
(3a)

$$\alpha_{k} = \begin{cases} 1 & \text{when } k \text{ is INCREASING/POSITIVE} \\ -1 & \text{when } k \text{ is DECREASING/NEGATIVE} \end{cases}$$
$$p_{k,c}(t_{0}, t_{n}) = (a^{k,c}(t_{n}) - a^{k,c}(t_{0})) \cdot 100/a^{k,c}(t_{0}) \tag{3b}$$

$$HR_{c,[t_0,t_n]}^{T|100} = HR_{c,[t_0,t_n]}^{T} \cdot 100 / \max_{c} |HR_{c,[t_0,t_n]}^{T}|$$
(3c)

155 **3** Results

In this section the indices previously proposed are computed for 22 different countries as a case study in the period of observation 2000-2018. Such a time-frame is considered to be suitable to address a pre-pandemic figure [Pileggi2021]. The index can be computed for any other country upon data availability. While an indepth discussion country-by-country is out of the scope of the paper, we report an overview of computations, which also includes the contributions of the different raw indicators to the final index. Values reported assume raw indicators associated with the same weight, as well as the two sub-indicators equally contributing to the combined value.

163 3.1 Snapshot sub-indicator

The computation of the snapshot sub-indicator (eq. 2a and 2d) is reported in Table 2, both with the contribution of each raw indicator. These contributions take into account of the wished trend/value (α) as per previous explanations.

Looking at results, roughly half of the considered countries perform under the average (negative values). Among these under-performing countries, South Africa stands out as, despite potentially favourable demographic factors, results in a very low expected resilience, from both an healthcare infrastructure and a socioeconomic perspective. A very low resilience is expected also for India, which presents a much more critical demography than South Africa, but performs better in terms of social indicators. Other 9 countries are associated with more moderated negative values.

On the positive side, USA and Australia out-stand, as well as Canada, Japan and Sweden. As reported in the table, other 6 countries are expected to be averagely resilient.

175 3.2 Trend sub-indicator

The trend sub-indicator (eq. 3a and eq. 3c) is reported in Table 3, both with the contribution of each raw indicator. As for the sub-indicator previously reported, these contributions take into account of the wished trend/value (α).

As expected, results show a completely different picture in which most countries have increased their expected resilience, with only 3 countries (Iran, Argentina and South Africa) proposing negative values. China is the top-ranked since it has increased its expected resilience in the period of observation, sustained mostly by a strong economic growth slightly contrasted by demographic factors. Also Russia and Poland have significantly increased their expected resilience, while other 16 countries proposed a more moderated yet positive trend.

184 3.3 Combined Index

The combined index (eq. 1b) is depicted in Figure 1, both with the values of the composing sub-indicators. As shown, 7 countries propose negative values.

	Contribution/Performance HR									IR			
Country	HI.1	HI.2	H.1	$H.2^*$	E.1	E.2	PD.1	PD.2	S.1	S.2	S.3	$\mathrm{HR}_{2018}^{\mathrm{S}}$	$HR_{2018}^{S 100}$
USA	92.6	-25.7	-2.7	-7.9	130	- 6.9	73.4	-2.5	50.2	-14.9	23.5	309	45.7
AUS	5.9	-0.7	24.7	-15.2	88	10.6	97.6	-1.6	32.2	-22.4	77.8	297	43.9
CAN	23.1	-34	8	-2.2	69.2	13.4	97	-10.2	25.4	-4.1	45.8	231	34.2
JPN	25	235.8	-31.4	13.2	43	14.5	-158.7	-26.5	69.3	7.3	38.1	230	33.9
SWE	24.3	-44.6	-8.7	-6	99.4	25.1	81.4	-11.5	18.8	-4	29.1	203	30.0
FRA	28.4	52.9	-9.9	-6.1	52.1	17.8	8.9	-12.5	-15.9	-43.5	54.1	126	18.6
MEX	-38.7	-74.6	28.2	21.2	-64.6	-18	51.6	24.5	58	41.8	65.2	95	14.0
ARG	9.8	29.1	9.1	-3.9	-57.5	-7.6	87.9	16.7	-18	-12.3	19.4	73	10.7
POL	-27.8	69.2	-30.2	15.1	-43.5	22.8	7.6	-8.4	50.8	-36.3	45.1	64	9.5
GER	30.4	106.9	-37.4	-5.3	74.6	17.1	-76.9	-25.2	56.7	-50.3	-36.2	54	8.0
COL	-12.8	-55.8	33.6	27.7	-75.5	-31	66.6	19.6	-16.5	33.2	22.8	12	1.7
RUS	-39.4	84.2	-48.1	15.1	-58.5	2.5	93.4	-5.5	38.0	-30.3	-62	-10	-1.5
BRA	8.5	-46	22.9	-4.7	-67.1	-40.1	81.3	14.4	-57.8	13.6	40.9	-34	-5.0
UK	14	-35.3	-11.1	-1.1	57.2	9.5	-104.7	-9.2	48.9	-33.3	29.1	-36	-5.3
TUR	-53	-26.3	35.3	-3.4	-65.5	-8.9	20.3	18.5	-39.3	76.1	7.6	-39	-5.7
ITA	-1.1	-18.8	-25.4	-7.8	26.4	6.7	-53.1	-23.8	-35.7	8.7	63.2	-61	-9.0
IRN	-1.2	-59.6	42.1	-27.4	-79.7	-6.1	62.6	19	-54	88	-46	-62	-9.2
NLD	13.8	-18	-6.3	-15	93.8	25.9	-281.2	-14.8	51	-11.9	55.5	-107	-15.8
SPA	2.4	-23.2	-8.7	-12.1	11	9.8	30.2	-15.9	-95.1	-48.1	33.3	-116	-17.2
CHN	-39	11.5	15.2	7.2	-63.6	-0.1	-10.6	-0.1	45.3	17.9	-127.3	-144	-21.2
IND	-59.6	-86.3	13.6	8.0	-92.7	7.2	-239.1	27	31.8	35.5	-53.6	-408	-60.3
ZAF	-5.8	-40.5	-12.7	10.6	-76.7	-63.8	64.5	28.1	-244	-10.8	-325.4	-677	-100
*computati	ions con	sider th	e share	(%) of p	people w	vith mer	ntal healt	h disord	lers ove	r the to	tal popul	ation [mei	n] [Tot].
$w_{HI.1} = w_{HI.2} = w_{H.1} = w_{H.2} = w_{E.1} = w_{E.2} = w_{PD.1} = w_{PD.2} = w_{S.1} = w_{S.2} = w_{S.3} = 1$													

Table 2: Snapshot sub-indicator and contribution of single indicators.

According to the combined index, China is the best performer by combining an impressive development in the period of observation and values of indicators still below the average in absolute terms. Also the second country in the ranking (Russia) presents a similar contrasting pattern. While Australia and USA are characterised by a solid present, resulting from a constant development, Poland has strongly increased its expected resilience in the last period. Considerations similar to Australia and USA apply to Japan, Sweden, Canada and France.

Among under-performing countries, South Africa presents a strongly negative value with a negative trend in the period of observation. India's performance is characterised by a contrasting pattern, while Iran and Argentina present a concerning trend.

196 4 Discussion

Despite its relative objectivity, the expected holistic resilience as proposed in this paper may be understood in different ways depending on the context of application. This section aims to discuss the indicator in relationship to COVID-19 response and impact. Indeed, more and more indicators are showing up to analyse and better understand effectiveness of response and actual impact.

Expected Resilience & Response. While the response to COVID-19 at the different levels is object of an intense debate within the different countries, the assessment of possible strategies as a result of the experience matured until the moment is considered a priority.

Certain approaches, such as indipendent evaluation [García-Basteiro et al.2020], could lead to the establishment of shared principles and practice for response which is expected probably to happen in a context of increased collaboration among countries.

For instance, the *Stringency Government Index* (average value on available data) [Str] and the *share of population fully vaccinated* [Mathieu et al.2021] are reported in Figure 2. The former is a combined measure of the main restrictions (e.g. closures and travel bans) imposed by Governments in response to COVID-19, while the latter expresses the total number of people who received all doses prescribed by the vaccination protocol, divided by the total population of the country.

Based on their experience and current development, we do expect countries to be able to assess their

	Contribution/Performance									H	IR		
Country	HI.1	HI.2	H.1	H.2	E.1	E.2	PD.1	PD.2	S.1	S.2	S.3	$\mathrm{HR}_{[00,18]}^{\mathrm{T}}$	$\mathrm{HR}_{[00,18]}^{\mathrm{T} 100}$
CHN	19.6	157	-10.1	-9.9	940	8.3	-10.3	-22.4	-31.1	-85	33.3	989	100
RUS	6	-37.5	19	1.7	542	-1.1	1.4	-5.9	54.2	28.9	6.8	615	62.2
POL	19.5	-2.1	-13.5	-0.3	244	21.8	0.7	-13.5	76.4	-27.7	21	326	33.0
COL	35.6	15.5	-7.2	-18.1	166	14.1	-25.3	-22.2	55.6	-2.9	-0.9	211	21.3
IND	-12.2	-18.5	16.8	-28.7	352	-3.8	-28	-17.9	5.9	-143	50.9	174	17.6
GER	15.6	-12.3	-12.7	0.6	102	-10.8	-0.7	-14.5	57.2	8.8	2	136	13.8
AUS	21.9	-5	6	-27.2	110	-2.7	-30.3	-5.2	15.7	10.3	20	113	11.4
BRA	14.2	-26	-4.2	-18.1	140	7.7	-19.8	-24.1	-24.6	15.5	43.3	104	10.5
UK	37.2	-38.7	9.7	-10.1	52.9	3.3	-12.9	-6.4	28.2	16.6	15	95	9.6
JPN	53.2	-11.6	-42.9	-2.2	1.6	5.5	0.3	-12.5	49	3.3	36.4	80	8.1
NLD	29.4	-35.6	-1.1	-3.1	103	4.4	-8.4	-12.1	-40.6	13.3	28.9	78	7.9
FRA	17.5	-25.8	-3.4	-7.6	86.2	-1.6	-9.9	-9.5	11.3	12.4	5.7	75	7.6
TUR	-10.3	35.7	16.3	-27.3	118	-1.2	-30.2	-20	-67.7	14.9	46.8	75	7.6
ITA	14.6	-33.3	-7.1	-7.2	72.3	-1.7	-6.1	-12.5	2.1	24.4	24.3	70	7.1
SWE	48.7	-40.2	13.3	-9.8	84.3	-5.9	-15.5	-3.7	-16.1	-4.7	15	65	6.6
SPA	32	-18.6	-2.2	-15.7	107	-1.2	-15.2	-13	-10.7	-2.3	4	64	6.5
USA	34.6	-17.8	-1.2	-11.9	73.4	-2.5	-16	-6.8	2.4	-7.4	15.3	62	6.3
MEX	20.7	-6.7	-26.9	-33.3	35.3	13.7	-27.6	-20.7	-28.1	22.2	68.8	17	1.7
CAN	30.4	-32.4	-8.5	-22	91.5	0	-20.8	-9.8	14.6	-0.7	-30	12	1.2
ZAF	11	-25.8	22.1	-17.4	110	-9	-28.5	-16.5	10.9	5	-80	-18	-1.8
ARG	13.7	13.7	3	-20.4	50.9	19	-20.7	-10.4	38.5	-10.3	-190	-113	-11.4
IRN	82.9	-1.9	4.6	-32.4	232	6.4	-24.7	-40.3	-5.1	-390	0	-168	-17.0
$w_{HI,1} = w_{HI,2} = w_{H,1} = w_{H,2} = w_{E,1} = w_{E,2} = w_{PD,1} = w_{PD,2} = w_{S,1} = w_{S,2} = w_{S,3} = 1$													

Table 3: Trend sub-indicator and contribution of single indicators.

expected resilience and increasing it by identify and mitigating major vulnerabilities. Assuming more and more reliable data and assessment models available in the next future, we will aim at better understanding the relationship between expected resilience and response.

Expected Resilience & Impact. According to a merely theoretical and probably naive analysis, the impact of COVID-19 should result somehow inversely proportional to the expected resilience. On one side, preparedness may have played a key role in certain situations and will become even more critical in future [WHO2020]. On the other side, the actual impact on the different countries has been determined by many factors, which are in most cases hard, if not impossible, to predict (e.g. virus mutations [Starr et al.2021] [Korber et al.2020]).

Waiting for a post-pandemic comprehensive assessment, we report in Figure 2 the mortality analysis provided by the John Hopkins University [JHU]. It currently includes two different main indicators (*deaths/100k people* and *observed case-fatality ratio*).

Unpredictable factors will still probably play a role also in the future. An increasing theoretical resilience may be a simple and effective way to partially deal with uncertainty and we believe that the approach proposed in this paper can contribute to holistically measure it.

227 5 Conclusions and Future Work

In this paper we introduced the concept of *expected resilience* to a pandemic. It is the theoretical resilience expected for a country given a period of observation. Expected resilience has been approached holistically as it considers simultaneously and combines multiple perspective, including health and healthcare infrastructure, and socio-economic factors in the context of demographic aspects. The target indicator is composed of two sub-indicators which provide, respectively, a snap-shot based on the most recent values and a trend perspective based on the variations over the period of observation.

The index has been computed for 22 countries looking at data in the period 2000-2018. Results reflect overall the well-known differences and contradictions currently existing among the different countries and provide, if needed, further reasons to reflect about global developments and challenges.

Additionally, expected resilience has been briefly discussed in the context of COVID-19 response and impact indicators to prevent possible misleading interpretations.



Figure 1: Combined values and sub-indicators

Assuming more and more reliable data about COVID-19 available before too long, future work will apply sophisticated methods based on Artificial Intelligence and Optimization techniques to explicit and better understand the relationship between expected resilience and response/impact.

242 **References**

[men] Global Burden of Disease Collaborative Network. Global Burden of Disease Study 2016 (GBD 2016)
 Results. Seattle, United States: Institute for Health Metrics and Evaluation (IHME), 2017. http:
 //ghdx.healthdata.org/gbd-results-tool. Online; accessed: 4 January 2021.

[Str] Hale, Thomas, Noam Angrist, Emily Cameron-Blake, Laura Hallas, Beatriz Kira, Saptarshi Majum dar, Anna Petherick, Toby Phillips, Helen Tatlow, Samuel Webster (2020). Oxford COVID-19 Government Response Tracker, Blavatnik School of Government. https://www.bsg.ox.ac.uk/research/research projects/coronavirus-government-response-tracker. Online; accessed: 30 October 2021.

- ²⁵⁰ [unea] International Labour Organization, ILOSTAT database.
- [vio] OECD (2021), Violence against women (indicator). doi: 10.1787/f1eb4876-en (Accessed on 19 January
 2021).



Figure 2: Expected Resilience and indicators that measure impact and response.

[heaa] The World Bank - Current health expenditure (% of GDP). https://data.worldbank.org/indicator/
 SH.XPD.CHEX.GD.ZS. Online; accessed: 4 January 2021.

- [dea] The World Bank Death rate, crude (per 1,000 people). https://data.worldbank.org/indicator/
 SP.DYN.CDRT.IN. Online; accessed: 4 January 2021.
- [GDP] The World Bank GDP per capita (current US\$). https://data.worldbank.org/indicator/
 NY.GDP.PCAP.CD. Online; accessed: 4 January 2021.
- ²⁵⁹ [gin] The World Bank Gini index (World Bank estimate). https://data.worldbank.org/indicator/
 ²⁶⁰ SI.POV.GINI). Online; accessed: 4 January 2021.
- [den] The World Bank Population density (people per sq. km of land area). https://data.worldbank.org/
 indicator/EN.POP.DNST). Online; accessed: 4 January 2021.
- [alc] The World Bank Total alcohol consumption per capita (liters of pure alcohol, projected estimates, 15+
 years of age). https://data.worldbank.org/indicator/SH.ALC.PCAP.LI. Online; accessed: 4 January 2021.
- [Tot] The World Bank Total Population. https://data.worldbank.org/indicator/SP.POP.TOTL. Online;
 accessed: 4 January 2021.
- [uneb] The World Bank Unemployment, total (% of total labor force). https://data.worldbank.org/
 indicator/SL.UEM.TOTL.ZS. Online; accessed: 4 January 2021.
- [age] United Nations, Department of Economic and Social Affairs Population Dynamics, Median Age of Population. https://population.un.org/wpp/Download/Standard/Population/. Online; accessed: 4 January 2021.

- ²⁷² [heab] World Health Organization Current health expenditure (% of GDP). https://www.who.int/data/gho/
- data/indicators/indicator-details/GHO/current-health-expenditure-(che)-as-percentage-of-
- gross-domestic-product-(gdp)-(-). Online; accessed: 4 January 2021.
- [hos] World Health Organization Hospital beds (per 10 000 population). https://www.who.int/data/gho/
 data/indicators/indicator-details/GHO/hospital-beds-(per-10-000-population). Online; accessed: 4 January 2021.
- [WHO] World Health Organization The best time to prevent the next pandemic is now: countries join
 voices for better emergency preparedness. https://www.who.int/news/item/01-10-2020-the-best time-to-prevent-the-next-pandemic-is-now-countries-join-voices-for-better-emergency-
- ²⁸¹ preparedness. Online; accessed: 15 February 2021.
- [Altig et al.2020] Altig, D., Baker, S., Barrero, J. M., Bloom, N., Bunn, P., Chen, S., Davis, S. J., Leather,
 J., Meyer, B., Mihaylov, E., et al. (2020). Economic uncertainty before and during the covid-19 pandemic.
 Journal of Public Economics, 191:104274.
- [Bashir et al.2020] Bashir, M. F., Benjiang, M., and Shahzad, L. (2020). A brief review of socio-economic and
 environmental impact of covid-19. Air Quality, Atmosphere & Health, pages 1–7.
- [Beyer et al.2021] Beyer, R. M., Manica, A., and Mora, C. (2021). Shifts in global bat diversity suggest
 a possible role of climate change in the emergence of sars-cov-1 and sars-cov-2. Science of The Total *Environment*, page 145413.
- [Chater2020] Chater, N. (2020). Facing up to the uncertainties of covid-19. *Nature Human Behaviour*, 4(5):439–439.
- [Cheng et al.2020] Cheng, C., Barceló, J., Hartnett, A. S., Kubinec, R., and Messerschmidt, L. (2020). Covid19 government response event dataset (coronanet v. 1.0). Nature human behaviour, 4(7):756-768.
- ²⁹⁴ [Clay and Parker2020] Clay, J. M. and Parker, M. O. (2020). Alcohol use and misuse during the covid-19 ²⁹⁵ pandemic: a potential public health crisis? *The Lancet Public Health*, 5(5):e259.
- [Data2021] Data, O. W. I. (2021). Coronavirus (covid-19) vaccinations. https://ourworldindata.org/covid vaccinations.
- ²⁹⁸ [Dong et al.2020] Dong, E., Du, H., and Gardner, L. (2020). An interactive web-based dashboard to track ²⁹⁹ covid-19 in real time. *The Lancet infectious diseases*, 20(5):533–534.
- [Fattorini and Regoli2020] Fattorini, D. and Regoli, F. (2020). Role of the chronic air pollution levels in the
 covid-19 outbreak risk in italy. *Environmental Pollution*, page 114732.
- [Felsenstein et al.2020] Felsenstein, S., Herbert, J. A., McNamara, P. S., and Hedrich, C. M. (2020). Covid-19:
 immunology and treatment options. *Clinical Immunology*, page 108448.
- ³⁰⁴ [Fofana et al.2020] Fofana, N. K., Latif, F., Sarfraz, S., Bashir, M. F., Komal, B., et al. (2020). Fear and agony
 ³⁰⁵ of the pandemic leading to stress and mental illness: an emerging crisis in the novel coronavirus (covid-19)
 ³⁰⁶ outbreak. *Psychiatry Research*, 291:113230.
- [García-Basteiro et al.2020] García-Basteiro, A., Alvarez-Dardet, C., Arenas, A., Bengoa, R., Borrell, C.,
 Del Val, M., Franco, M., Gea-Sánchez, M., Otero, J. J. G., Valcárcel, B. G. L., et al. (2020). The need
 for an independent evaluation of the covid-19 response in spain. *The Lancet*, 396(10250):529–530.
- ³¹⁰ [Hale et al.2021] Hale, T., Angrist, N., Goldszmidt, R., Kira, B., Petherick, A., Phillips, T., Webster, S.,
 ³¹¹ Cameron-Blake, E., Hallas, L., Majumdar, S., et al. (2021). A global panel database of pandemic policies
 ³¹² (oxford covid-19 government response tracker). Nature Human Behaviour, 5(4):529–538.
- [Haug et al.2020] Haug, N., Geyrhofer, L., Londei, A., Dervic, E., Desvars-Larrive, A., Loreto, V., Pinior, B.,
 Thurner, S., and Klimek, P. (2020). Ranking the effectiveness of worldwide covid-19 government interventions. Nature human behaviour, 4(12):1303–1312.
- ³¹⁶ [Jerrett2015] Jerrett, M. (2015). The death toll from air-pollution sources. *Nature*, 525(7569):330–331.

- 317 [JHU] JHU. Mortality analyses john hopkings university, coronavirus resource center. https:// 318 coronavirus.jhu.edu/data/mortality.
- [Killgore et al.2020] Killgore, W. D., Taylor, E. C., Cloonan, S. A., and Dailey, N. S. (2020). Psychological resilience during the covid-19 lockdown. *Psychiatry research*, 291:113216.
- [Korber et al.2020] Korber, B., Fischer, W. M., Gnanakaran, S., Yoon, H., Theiler, J., Abfalterer, W., Hen gartner, N., Giorgi, E. E., Bhattacharya, T., Foley, B., et al. (2020). Tracking changes in sars-cov-2 spike:
 evidence that d614g increases infectivity of the covid-19 virus. *Cell*, 182(4):812–827.
- ³²⁴ [Kupferschmidt2021] Kupferschmidt, K. (2021). New mutations raise specter of 'immune escape'.
- [Lancet2020] Lancet, T. (2020). Redefining vulnerability in the era of covid-19. Lancet (London, England),
 395(10230):1089.
- [Le et al.2020] Le, T. T., Andreadakis, Z., Kumar, A., Roman, R. G., Tollefsen, S., Saville, M., and Mayhew,
 S. (2020). The covid-19 vaccine development landscape. *Nat Rev Drug Discov*, 19(5):305–306.
- [Legido-Quigley et al.2020] Legido-Quigley, H., Mateos-García, J. T., Campos, V. R., Gea-Sánchez, M.,
 Muntaner, C., and McKee, M. (2020). The resilience of the spanish health system against the covid-19
 pandemic. *The lancet public health*, 5(5):e251–e252.
- [Mathieu et al.2021] Mathieu, E., Ritchie, H., Ortiz-Ospina, E., Roser, M., Hasell, J., Appel, C., Giattino, C.,
 and Rodés-Guirao, L. (2021). A global database of covid-19 vaccinations. *Nature human behaviour*, pages
 1-7.
- [Mazza et al.2020] Mazza, M., Marano, G., Lai, C., Janiri, L., and Sani, G. (2020). Danger in danger: Inter personal violence during covid-19 quarantine. *Psychiatry research*, 289:113046.
- ³³⁷ [Murdoch2020] Murdoch, D. (2020). The next once-a-century pandemic is coming sooner than you think-but ³³⁸ covid-19 can help us get ready. *The Conversation*, 14.
- [Naidoo and Fisher2020] Naidoo, R. and Fisher, B. (2020). Reset sustainable development goals for a pandemic
 world.
- ³⁴¹ [Nicola et al.2020] Nicola, M., Alsafi, Z., Sohrabi, C., Kerwan, A., Al-Jabir, A., Iosifidis, C., Agha, M., and
 ³⁴² Agha, R. (2020). The socio-economic implications of the coronavirus and covid-19 pandemic: a review.
 ³⁴³ International journal of surgery.
- Pileggi2020] Pileggi, S. F. (2020). Is the World Becoming a Better or a Worse Place? A Data-Driven Analysis.
 Sustainability, 12(1):88.
- Pileggi2021] Pileggi, S. F. (2021). Life before covid-19: how was the world actually performing? Quality &
 Quantity, pages 1–18.
- Prime et al.2020] Prime, H., Wade, M., and Browne, D. T. (2020). Risk and resilience in family well-being
 during the covid-19 pandemic. *American Psychologist*.
- [Ritchie and Roser2018] Ritchie, H. and Roser, M. (2018). Mental health. Our World in Data.
 https://ourworldindata.org/mental-health.
- [Roesch et al.2020] Roesch, E., Amin, A., Gupta, J., and García-Moreno, C. (2020). Violence against women
 during covid-19 pandemic restrictions.
- ³⁵⁴ [Scudellari2020] Scudellari, M. (2020). How the pandemic might play out in 2021 and beyond. *Nature*, pages ³⁵⁵ 22–25.
- [Starr et al.2021] Starr, T. N., Greaney, A. J., Addetia, A., Hannon, W. W., Choudhary, M. C., Dingens,
 A. S., Li, J. Z., and Bloom, J. D. (2021). Prospective mapping of viral mutations that escape antibodies
 used to treat covid-19. *Science*, 371(6531):850–854.
- [Van Bavel et al.2020] Van Bavel, J. J., Baicker, K., Boggio, P. S., Capraro, V., Cichocka, A., Cikara, M.,
 Crockett, M. J., Crum, A. J., Douglas, K. M., Druckman, J. N., et al. (2020). Using social and behavioural
 science to support covid-19 pandemic response. *Nature human behaviour*, 4(5):460–471.

[WHO2020] WHO (2020). Critical preparedness, readiness and response actions for covid-19: interim guidance,
 22 march 2020. Technical report, World Health Organization.

³⁶⁴ [Zaami et al.2020] Zaami, S., Marinelli, E., and Varì, M. R. (2020). New trends of substance abuse during ³⁶⁵ covid-19 pandemic: an international perspective. *Frontiers in Psychiatry*, 11:700.

366 Acknowledgements

³⁶⁷ I would like to thank Prof. Han Woo Park, Editor-in-Chief of the journal, for the professionalism and kind³⁶⁸ ness shown throughout the review process, as well as the anonymous reviewers who provided consistent and
³⁶⁹ constructive feedback.

370 A Annexes

371 A.1 Missing data

Missing data by indicator is reported in Table 4. Missing values are reported for each country. Approximations adopted for computations have been addressed in the paper (see Section 2.2). Additionally, missing data critical for computations (extreme values) is highlighted in bold.

Indicator	Missing Data
GINI Index	ITA(2001,2002, 2018). JPN(2000 -2007,2009,2011,2012,2014-
	2018). AUS(2000 ,2002,2005-2007,2009,2011-2013,2015-
	2018). GER(2012,2014,2017, 2018). BRA(2000 ,2010).
	FRA(2001,2002, 2018). SWE(2001,2002, 2018).
	UK(2000 -2003, 2017, 2018). USA(2001-
	2003,2005,2006,2008,2009,2011,2012,2014,2015,2017, 2018).
	IND(2000 -2003,2005-2008,2010,2012- 2018).
	CHN(2000 ,2001,2003,2004,2006,2007,2009,2017, 2018).
	COL(2006,2007). MEX(2001,2003,2007,2009,2011,2013,2015,2017).
	ARG(2015). TUR(2000 ,2001). SPA(2001,2002, 2018). POL(2000 -
	12003, 2018). IRN(2000-2004, 2007, 2008, 2010-2012, 2018).
	ZAF(2001-2004,2006,2007,2009,2011-2013,2015- 2018). NLD(2000 -
	2003, 2018). CAN(2001-2003,2005,2006,2008,2009,2011,2012,2014-
	2016, 2018).
Hospital beds	AUS(2016-2018). GER(2018). BRA(2018). USA(2018).
	IND $(2003,2004,2018)$. CNH (2018) . COL $(2000-2009)$.
	ARG(2000 -2010, 2018). POL(2000 -2002). IRN(2018).
	ZAF(2000 ,2001,2008-2018). NLD(2014).
People with mental health disorders	All Countries (2017, 2018).
Median age of population	All Countries (2001-2004,2006-2009,2011-2014,2016- 2018).
Total alcohol consumption per capita	All Countries (2001-2014,2016,2017). Canada(2000).
Violence against women	All Countries (2000-2013,2015-2018). Computations adopt 2019
	data instead of 2018 data.

Table 4: Missing data by indicator.

Raw data overview A.2 375

An overview of the indicators that underpin the expected holistic resilience index is provided by Figure 3, 4, 5, 6 376 and 7 which represent, respectively, healthcare infrastructure, health, economical, demographic and social 377 indicators. 378



Figure 3: Indicators associated with Healthcare Infrastructure.



Figure 4: Health indicators.



(b) GINI Index.

Figure 5: Economical indicators.



(a) Population density.

(b) Median age of population.





(a) Unemployment rate (% of total labor force).

(b) Total alcohol consumption per capita.



(c) Violence against women (attitudes towards violence)

Figure 7: Social indicators.

379 A.3 Development trends by country - 2000-2018

³⁸⁰ Development trends in the period of observation for the 22 considered countries are reported in Figure 8.



Figure 8: Development trends in the period 2000-2018.



Figure 8: Cont.



Figure 8: Cont.