Support Services for adolescents and young adults with cancer or a blood disorder:

Measurement Properties and
Validation of Quality of Life
Instruments for Adolescents and
Young Adults with Cancer or a
Blood Disorder

Jane Elizabeth Ewing

A thesis submitted in fulfilment of the requirements for the Degree of Master of Science in Mathematical Sciences (Thesis)

Department of Mathematical Sciences, Faculty of Science, University of Technology, Sydney (UTS) NSW, Australia. July 2006

### Certificate of Authorship/Originality

I certify that the work in this thesis has not previously been submitted for a degree nor has it been submitted as part of requirements for a degree except as fully acknowledged within the text.

I also certify that the thesis has been written by me. Any help that I have received in my research work and the preparation of the thesis itself has been acknowledged. In addition, I certify that all information sources and literature used are indicated in the thesis.

Signature of Candidate

Jane Elizabeth Ewing

#### **Dedication**

I dedicate this thesis to my family, David my husband and our beloved children Elizabeth, William and Victoria for their support, love and encouragement. Also, in memory of my Mother, Heather for her patient and self-less love as always and in helping me nurse Elizabeth in her final stage of life; in memory of my Father, Lance who has keenly watched my progress in this neglected field of healthcare; in memory of my cousins Donald, Tracey and Judith whose lives were also cut short by cancer.

In particular I dedicate this thesis to the memory of my elder daughter, Elizabeth, a vivacious, gifted, generous, loving, courageous, community spirited individual with a passion for encouraging cultural harmony. She achieved much and inspired many in her 19 years. Her cancer gave her family an unwanted personal introduction to the huge gap in the health system for adolescents and young adults and the impact that cancer has on them, their siblings, parents, families and friends.

This horrendous tragedy is the driving force behind my work to help reduce the burden of illness for adolescents and young adults living with cancer, and their families. Elizabeth laid the initial challenge before me to help make the system fairer for these young people. I work and live in the hope that her untimely death will not be in vain.

Finally, I dedicate this thesis to my beloved New Zealand, Aotearoa.

### Acknowledgments

I wish to thank my initial Supervisor, Peter Petocz for encouraging me to embark on this Masters thesis. Thank you to Narelle Smith who took on the role of Supervisor some time into the thesis, for her interest and support from the beginning, and being a great source of guidance in the analysis stage, and in helping me through the UTS Ethics process in the early stages of the research.

I am indebted to Madeleine King for agreeing to become my Co-supervisor. I am grateful for her understanding and appreciation of my vision, seeing the potential in my ideas, and helping me refashion and strengthen my long-term plan in this area of youth health. My learning curve has been very steep in many areas, such as, critical and precise thinking, building conceptual models, working with clinicians, developing project budgets, writing funding applications, politics, and maintaining focus.

The field-testing of this study was done with the co-operation of the Centre for Children's Cancer and Blood disorders (CCCBD) at Sydney Children's Hospital (SCH), Randwick. I am grateful to Belinda Goodenough, Hospital Scientist for her on-going support and encouragement in helping me through the many hoops in gaining access to the required patients, smoothing the research process at the coal face, and assisting and refining funding applications, presentations and items for publication. Belinda's ability to make things happen in the hospital environment complemented Madeleine and Narelle's expertise. I am grateful to Glen Marshall, Director of the CCCBD, for permitting me to work closely with the staff at his Centre, particularly clinicians: Richard Cohn, Marcus Vowels, and Sue Russell for allowing access to their patients.

I am grateful to Michael Friedlander, Rob Lindeman and Neville Hacker for their interest and support at the Prince of Wales Hospital (POWH), SEALS (POWH) and the Royal Hospital for Women (RHW) respectively, in giving access to their units and potential participants. I wish to also thank clinicians: Scott Dunkley, Craig Lewis, and David Goldstein from POWH, and Donald Marsden and Grant Robertson from RHW for permitting access to their patients.

I wish to thank Les White, CEO of Sydney Children's Hospital, for his encouragement

and advice in pursuing my vision.

Also I wish to thank Anne Senner (CCCBD) and Sally Francis (SCH/POWH); the data

managers Pam Edhouse, Cecilia Oswald and Brigitte Richmond of CCCBD; Therese

Malone (RHW), and Sue Vachalec (POWH); and the hospital staff for their support in the

clinics and wards, particularly Phil Grant (NUM), Helen Knox (NUM), Judy Warren

(NUM), Anne Rich (Secretary) and Tali Foreman (Social Worker).

Special thanks to my husband, David and our younger children William and Victoria for

helping, supporting, advising and encouraging me.

Special thanks go to my sister-like cousins Shona Kramer and Lynne Hume, and special

friends Sue Wood, and Barbara and Lynton Bates. I also wish to thank my many friends

and colleagues from Westlake Girls' High School, in particular, Jackie Prestige, Helen

and John Rimmer, Jo McKenzie, Elizabeth Redwood, Judy Woods.

Very special thanks to Elizabeth's wonderful group of friends.

I acknowledge the support, and kindness shown by many staff at various NZ hospitals for

their kindness and support in particular, Cindy, Lucy, Andrew, Jenny, Marjorie and John;

and the encouragement shown by members of NZAAHD, Youthline, and CanTeen.

I acknowledge the support received in formatting and proofing this thesis from Jo

Watson, Josh Tow, Joel Tow and Paul Drury.

Finally, I specially want to thank the adolescent and young adult aged Australian patients,

and their nominated proxy's who participated in this research, and the young New

Zealanders living with cancer, and their siblings and parents who helped put in the

foundation from which this research developed. Without their support in the first instance

this work would not have developed.

Thank you,

Jane Ewing.

December 2005.

- iv -

### List of Abbreviations

**AHS** Area Health Service

**AIHW** Australian Institute for Health and Welfare

AYA Adolescents and young adults

ALL Acute lymphatic leukaemia

**CAAH** Centre for Advancement of Adolescent Health

**CCCBD** Centre for Children's Cancer & Blood Disorders at SCH

**CHeRP** Centre for Health Research & Psycho-oncology

**CNC** Clinical Nurse Consultant

**CRASH** Centre for Research into Adolescents' Health

**DHB** District Health Board

**DHN** District Health Nurse

**EEMF** Elizabeth Ewing Memorial Framework

**EEMCVAFH** Elizabeth Ewing Memorial Conceptual View of AYA Family Health

**EFA** Exploratory Factor Analysis

**GMCT** The Greater Metropolitan Clinical Taskforce

**GMTT** The Greater Metropolitan Transition Taskforce

**GP** General Practitioner

**HRQOL** Health-Related Quality of Life

IAAH International Association for Adolescent Health

**IPOS** International Psycho-Oncology Society

**MSAS** The Memorial Symptom Assessment Scale

**NAAH** NSW Association for Adolescent Health

**NGO** Non-Government Organisation

NHMRC National Health & Medical Research Council

NZAAHD New Zealand Association for Adolescent Health & Development

**OT** Occupational Therapist

PMCC Peter Macullum Centre for Cancer

**POWH** The Prince of Wales Hospital, Randwick, NSW, Australia

**QOL** Quality of Life, in general

**RCT** Randomised Clinical Trials

RHW Royal Hospital for Women, Randwick, NSW Australia

SCH Sydney Children's Hospital, Randwick, NSW, Australia

**SCNS** Supportive Care Needs Survey

**SEALS** South Eastern Area Laboratory Services

SESAHS South Eastern Sydney Area Health Service, NSW, Australia

**TCYPCCI** Transition Care for Young People with Chronic Childhood Illnesses

**UNCROC** United Nations Convention on the Rights of the Child

**UTS** University of Technology, Sydney

WHO World Health Organisation

WINZ Work and Income New Zealand

# Table of Contents

Acknow	vledgments	iii
List of A	Abbreviations	v
Table of	f Contents	vii
Table of	f Tables	X
Table of	f Figures	xii
Abstract	t	xiii
Chapter	r 1	
Intro	oduction	1
1.1.	Background	2
	1.1.1. Literature Review	2
	1.1.1.1. Definition and terminology for target group	2
	1.1.1.2. Problems for adolescents & young adults in the health sy	stem4
	1.1.1.2.1. Factors contributing to poor mortality	6
	1.1.1.3. Possible Solutions	14
	1.1.1.4. Advances in adolescent and young adult research	18
Chapter	r 2	
Му	contribution to improve health outcomes for AYA	21
2.1.	My Research	25
2.2.	Quality of Life	28
	2.2.1. What is quality of life?	28
	2.2.2. Why measure HRQOL?	29
2.3.	Cancer and Blood Disorders and their effect on AYA	31
	2.3.1. How cancer & blood disorders affect the HRQOL of your	g people32
2.4.	Instruments for measuring HRQOL in young people	33
	2.4.1. HRQOL instruments	33
	2.4.2. The PedsQL 4.0 Measurement Model	35
Chapter	r 3	
N	Methods	37
3.1.	Description of the instruments utilised	37
	3.1.1. PedsQLTM 4.0 Measurement Model	37
	3.1.1.1. PedsQL Instrument modification	38
	3.1.2. Memorial Symptom Assessment Scale (MSAS)	38

	3.1.3. Socio-demographic and clinical information	39
3.2.	Participants and recruitment.	40
	3.2.1. Inclusion Criteria	41
	3.2.2. Exclusion Criteria	41
	3.2.3. Ethical Approval	41
	3.2.4. Recruitment Procedure	42
3.3.	Data collection.	43
	3.3.1. Information from hospital databases	43
	3.3.2. Administration of questionnaires	43
	3.3.3. Survey Pack with additional instruments	44
	3.3.3.1. Satisfaction Survey	45
	3.3.3.2. Preference for Support Services instrument	45
	3.3.3.3. Impact Report	46
3.4.	Scoring the data	47
	3.4.1. PedsQLTM Measurement Model	47
	3.4.1.1. PedsQL <sup>TM</sup> 4.0 Generic Core	47
	3.4.1.2. PedsQL <sup>TM</sup> 3.0 Cancer Module	50
	3.4.2. Memorial Symptom Assessment Scale (MSAS) scoring	53
	3.4.3. Imputation of missing values	57
3.5.	Analysis	58
	3.5.1. Reliability	59
	3.5.2. Feasibility	59
	3.5.2.1. Missing PedsQL Measurement Model data	59
	3.5.2.2. Floor and Ceiling Effects of the PedsQL Measurement	60
	3.5.3. Validity	60
	3.5.3.1. Construct Validity	61
	3.5.3.2. Convergent and Divergent Validity	63
	3.5.3.3. Patient-Proxy Concordance	65
	3.5.4. Sensitivity - Clinical Validity ("Known-groups")	66
	3.5.4.1. Comparing Symptom Severity Groups	67
3.6.	Software	68
Chapte	r 4	
I	Results	70
4.1.	Participants	70

	4.1.1. Mode of Administration of Surveys to Participants70		
	4.1.2. Socio-demographic information70		
	4.1.3. Clinical information		
4.2.	Reliability73		
4.3.	Feasibility74		
	4.3.1. Missing Data		
	4.3.2. Missing socio-demographic and illness information		
	4.3.3. Floor/Ceiling Effects		
4.4.	Validity80		
	4.4.1. Factor Analysis		
	4.4.1.1. PedsQL Generic Core80		
	4.4.1.2. PedsQL Cancer Module		
	4.4.2. Correlations		
	4.4.2.1. Convergent and Divergent Validity Correlations		
	4.4.2.1.1. Between domains within Generic Core for self, & proxies86		
	4.4.2.1.2. Between domains within Cancer Module, self & proxies88		
	4.4.2.1.3. Between Generic Core & Cancer Module, AYA & proxies90		
	4.4.2.2. Patient –Proxy Concordance94		
	4.4.2.2.1. Correlations within Generic Core between AYA & proxies94		
	4.4.2.2.2. Correlations within Cancer Module between AYA & proxies98		
4.5.	Sensitivity - Clinical Validity ('Known Groups' analysis)100		
	4.5.1. PedsQLTM Generic Core		
	4.5.2. PedsQLTM Cancer Module		
Chapter	• 5		
C	Conclusion		
V	Where to next in the bigger AYA picture?		
Glossary			
Reference	es		
Appendi	ces130		
A	Appendix A: AYA Cancer Incidence in NZ & Australia131		
A	Appendix B: CCCBD Family Newsletter		
A	Appendix C: The survey Pack		

## Table of Tables

Table 1-1 Time from first presentation with symptoms to diagnosis	9
Table 2-1 Paediatric Health-Related Quality of Life Instruments	34
Table 3-1 Alterations to wording in PedsQL as approved by author	38
Table 3-2 Clinical Information about the adolescent & young adult patient	39
Table 3-3 The Likert Scale for Scoring the PedsQL Measurement Model	47
Table 3-4 The PedsQL 4.0 Generic Core domain-specific items	48
Table 3-5 The PedsQL Generic Core Summary Scales	49
Table 3-6 PedsQL Cancer Module domain-specific items	51
Table 3-7 The MSAS 3-Dimensional Symptom Scoring	54
Table 3-8 The MSAS Subscale Scores	56
Table 3-9 Analysis of Variance (ANOVA) for comparing the means of the three	
Symptom Severity Groups	69
Table 4-1 Mode of Survey Administration to participants	71
Table 4-2 Socio-Demographic Information about Participants	72
Table 4-3 Clinical Information about the AYA patient	73
Table 4-4 Internal Reliability Alpha Scores: Generic Core & Cancer Module	74
Table 4-5 Generic Core - Known Groups Descriptives: Self- and Proxy-Report	79
Table 4-6 Generic Core Factor Analysis, Loadings per Item: Self- & Proxy-Report.	82
Table 4-7 Cancer Module Factor Loadings per Item: Self- & Proxy-Report	85
Table 4-8 Generic Core Correlations: AYA versus AYA and Proxy versus Proxy	87
Table 4-9 Cancer Module Correlations for AYA and their Proxies	88
Table 4-10 Generic Core versus Cancer Module Correlations for AYA	91
Table 4-11 Generic Core versus Cancer Module Correlations for Proxies	93
Table 4-12 Generic Core AYA versus Proxy inter-correlations	95
Table 4-13 Direction of Association: Generic Core AYA-Proxy Differences	96
Table 4-14 Generic Core Self-Proxy Paired Comparison, p-values for AYA	98
Table 4-15 Cancer Module Self -Proxy Inter-Correlations	99
Table 4-16 Direction of Association: Cancer Module AYA-Proxy Differences	100
Table 4-17 Generic Core: Adolescent/young adult, AYA Symptom Severity Groups	s 101
Table 4-18 Generic Core: Proxy-Report on Symptom Severity Groups	102
Table 4-19 Cancer Module: Test of Homogeneity of Variances	104
Table 4-20 Cancer Module: AYA Symptom Severity Groups	105

Table 4-21 Cancer Module: Proxy-Report on AYA Symptom Severity Groups 106
Table A- 1 New cancer diagnoses in Australia of AYA 12-24years inclusive, for the period 1997-2001
Table A- 2 Incidence of all cancers (ICD-10 C00-C97), persons aged 12-24, for the
period 1997-1999 in Australia
Table A-3: NZ Cancer Registrations 1994-99, Total Registrations Sex by Age132

# Table of Figures

Figure 1-1: Improvement in Relative Cancer Survivorship by Age	4
Figure 2-1 Elizabeth Ewing Memorial Framework for change	22
Figure 2-2 Elizabeth Ewing Memorial Conceptual View of AYA/Family Health	26
Figure 4-1 Generic Core versus Cancer Module Correlations for AYA	92
Figure 4-2 Generic Core versus Cancer Module Correlations for Proxies	93

#### Abstract

Health-Related Quality of Life (HRQOL) is an important outcomes measure in cancer and there are specific issues depending on the site, stage, treatment and patient age. Although numerous instruments are available for cancer HRQOL, most are designed for adults, some for children, but none for adolescents and young adults (AYA) who have special age-specific concerns and poor improvement in survival compared with other age groups.

An existing HRQOL instrument was modified to ensure its suitability for AYA, its validity, reliability and sensitivity were tested in Australians aged 16 to 25 years old diagnosed with cancer or a blood disorder. Varni's PedsQL<sup>TM</sup> Measurement Model (13-18 year olds) was selected, modified then administered to families recruited from haematology/oncology clinics and wards at three Sydney Metropolitan Hospitals in person or by telephone. The Memorial Symptom Assessment Scale was used to categorise participants into groups reflecting sensitivity of symptom severity (slight, moderate and severe).

The instruments demonstrated excellent internal consistency reliability, making them suitable for both group and individual comparisons. Clinical validity, construct validity, and discriminant validity were demonstrated by "known-groups" analysis, exploratory factor analysis and correlations, respectively.

These new versions of the PedsQL Generic Core and Cancer Module are reliable, valid and sensitive measures of HRQOL in patients aged 16-25 years diagnosed with cancer or a blood disorder. The measures will soon be available for use as outcome measures in clinical trials and clinical practice with this age cohort in Australasia and internationally.