



University of Technology, Sydney

Faculty of Engineering and Information Technology

# **Topological Shape Optimization of Microstructures of Materials using Level Set Methods**

A thesis submitted for the degree of

**Doctor of Philosophy**

**Yu WANG**

(2015)

**Title of the thesis:**

Topological shape optimization of microstructures of materials using level set methods

**Ph.D. student:**

Yu Wang

E-mail: [Yu.Wang-11@student.uts.edu.au](mailto:Yu.Wang-11@student.uts.edu.au)

**Supervisor:**

Prof Nong Zhang

E-mail: [Nong.Zhang@uts.edu.au](mailto:Nong.Zhang@uts.edu.au)

**Co-Supervisor:**

Dr Zhen Luo

E-mail: [Zhen.Luo@uts.edu.au](mailto:Zhen.Luo@uts.edu.au)

**Address:**

School of Electrical, Mechanical and Mechatronic Systems  
The University of Technology, Sydney, NSW 2007, Australia

# Certificate of Original Authorship

I certify that the work in this thesis has not previously been submitted for a degree nor has it been submitted as part of requirements for a degree except as fully acknowledged within the text.

I also certify that the thesis has been written by me. Any help that I have received in my research work and the preparation of the thesis itself has been acknowledged. In addition, I certify that all information sources and literature used are indicated in the thesis.

Signature of Student:

Production Note:  
Signature removed prior to publication.

**YU WANG**

Date:

# Acknowledgments

My thesis could not have come to fruition without the assistance of many contributors.

Hereby, I would express my deep gratitude to my principal Professor Nong Zhang. He supported me with great direction, advices and any other helps in my research. His knowledge, hard-working and research attitude fostered my development in various aspects.

I am profoundly grateful to my co-supervisor Dr Zhen Luo. Without his kindness of helping me to verify the simulation, the completion of this thesis would be impossible. He provided me with great guidance during my whole candidature period. He is the most brilliant and helpful co-supervisor to me. I would also express my gratitude to Dr Jinchen Ji, Dr Paul Walker and Dr Yiqiang Wang, who often offered their time in discussing research issues during my PhD research program.

I would like to thank my colleagues, Xingxing Zhou, Jinglai Wu, Lifu Wang, Sangzhi Zhu, Tianxiao Zhang, Guangzhogn Xu, Jiageng Ruan, Robert Heal, Li Sun, Bo Zhu, Mingming Zhao, for their supports.

I also wish to gratefully acknowledge the consistent financial support of the following agents: China Scholarship Council (CSC) and University of Technology, Sydney (UTS).

Most especially to my family, words alone cannot express what I own them for their encouragement and whose patient love enabled me to complete this thesis.

# Publications and Conference Contributions

The following publications are part of the thesis

*Peer reviewed international scientific journal publications*

- [1] **Y. Wang**, Z. Luo, N. Zhang, Topological optimization of structures using a multilevel nodal density-based approximant, *CMES: Computer Modeling in Engineering & Sciences*. Vol. 84, Issue.3, pp. 229-252, 2012.
- [2] **Y. Wang**, Z. Luo, J. Wu, N. Zhang, Topology optimization for micro compliant mechanisms using the element-free Galerkin method, *Advances in Engineering Software*. Vol. 85, pp. 61-72, 2015.
- [3] **Y. Wang**, Z. Luo, N. Zhang, QF. Qing, Topological shape optimization of multifunctional tissue engineering scaffolds with level set method. *Structural and Multidisciplinary Optimization*. (Major revision, Manuscript ID SMO-14-039)
- [4] **Y. Wang**, Z. Luo, N. Zhang, Topological design for mechanical metamaterials using a multiphase level set method, *Structural and Multidisciplinary Optimization*. (Major revision, Manuscript ID SMO-15-0079)
- [5] **Y. Wang**, Z. Luo, N. Zhang, Design of micro-structured metamaterials using a multiphase level set method, *Engineering Optimization* (Major revision, Manuscript ID GENO-2014-0193)
- [6] Z. Luo, N. Zhang, **Y. Wang**, A physically meaningful level set method for topology optimization of structures, *CMES: Computer Modeling in Engineering & Sciences*. Vol. 83, Issue.1, pp. 73-96, 2012
- [7] Z. Luo, N. Zhang, **Y. Wang**, W. Gao, Topology optimization of structures using meshless density variable approximants, *International Journal for Numerical Methods in Engineering*, Vol. 93, Issue.4, pp. 443-464, 2013

*Peer reviewed international scientific conference publications*

- [1] **Yu Wang**, Zhen Luo. Shape and topology optimization using a nodal density-based level set method, *The 14th Asia Pacific Vibration Conference APVC 14*, 5-8 December 2011, The Hong Kong Polytechnic University.
- [2] **Y. Wang**, Z. Luo. A radial point-based meshfree Galerkin method for topology optimization, *The 4th International Conference on Computational Methods ICCM 2012*, 25-27 November, Gold Coast, Australia.
- [3] N. Zhang, **Y. Wang**, Z. Luo. Structural topology optimization using meshfree methods, *The 23rd International Congress of Theoretical and Applied Mechanics ICTAM 2012*, 19-24 August, 2012, Beijing, China.
- [4] Z. Luo, **Y. Wang**, N. Zhang, Topology optimization of lightweight structures using a meshless shepard function approximant, *The 7th Australasian Congress on Applied Mechanics ACAM 7*, 9-12 December, 2012, Adelaide, Australia.
- [5] **Y. Wang**, Z. Luo, N. Zhang, Topology optimization of compliant mechanisms using element-free methods, *The 2013 World Congress on Global Optimization WCGO 2013*, 7-12 July, 2013, The Yellow Mountains, China. *Advances in Global Optimization* Springer Proceedings in Mathematics & Statistics, 95, 2015, pp 217-226
- [6] **Y. Wang**, Z. Luo, N. Zhang, Design optimization of structures using a nodal density-based SIMP method, *The 13th Asia-Pacific Congress for Computational Mechanics, APCOM 2013*, 11-14 December, 2013, Singapore.
- [7] **Y. Wang**, Z. Luo, N. Zhang, The topological design of metamaterials using a level set method, *The 11th World Congress on Computational Mechanics WCCM XI 2014*, 21-25 July, 2014, Barcelona.

# Abstract

Topology optimization has been regarded as a most promising approach in the conceptual stage of structural design. It has experienced rapid development over the past two decades and has been applied to a wide range of engineering problems. This thesis will focus on the level-set based topology optimization method, which was originally developed by Osher and Sethian in 1988 and have been successfully incorporated into the structural optimization. With the implicit representation scheme, the level set methods can be easily applied to handle the complex shape and topology changes of the structural design.

This work is divided into three parts. The first part is the necessary background for understanding the main focuses of the thesis. It includes the first four chapters: Chapter 1 provides the background the topology optimization, and overview of the current topology optimization methods, as well as application in the material design fields. Chapter 2 gives a description of the numerical homogenization method. Chapter 3 introduces the theory of the conventional level-set methods, and Chapter 4 provides details of for a parameterized level set method with numerical examples.

The second part of this thesis is about the design of mechanical/elastic metamaterials, which is contented in Chapter 5. In this part, we integrate the parameterized level set method with the numerical homogenization method for the design problems of metamaterials. Meanwhile, a multiphase level-set based scheme for designing metamaterials is proposed. In the parameterized level set method, a set of compactly supported radial basis functions (CSRBF) is employed to interpolate each implicit level set function, which transfer the most

difficult topology optimization problem into an easiest “size” optimization problem in the area of structural optimization. This method will be free of the Courant–Friedrichs–Lewy (CFL) condition and the re-initialization scheme. The propagation of the level set function can be driven by other well-developed optimization that involves gradient information. Moreover, this method can freely create new holes inside the material regions of the two-dimensional (2D) design domain. The optimal designs for mechanical metamaterials with extreme and prescribed properties are presented in this chapter as well (e.g. negative thermal expansion and negative Poisson’s ratios).

In the third part of this thesis, Chapter 6, we applied the parametric level set method and the numerical homogenization method for designing three-dimensional (3D) scaffolds for the tissue engineering. Numerical examples are used to demonstrate the effectiveness of the optimization method in designing the scaffold with a range of multifunctional properties. The efficiency, convergence and accuracy of the present methods are also highlighted.

Finally conclusions are given in Chapter 7.

*Keywords:* Topological shape optimization; Level set method; Homogenization method; Microstructures, Mechanical metamaterial; Tissue engineering scaffold.



# Contents

|                                                                   |            |
|-------------------------------------------------------------------|------------|
| <b>Certificate of Original Authorship .....</b>                   | <b>i</b>   |
| <b>Acknowledgments .....</b>                                      | <b>ii</b>  |
| <b>Publications and Conference Contributions.....</b>             | <b>iii</b> |
| <b>Abstract.....</b>                                              | <b>v</b>   |
| <b>List of Tables .....</b>                                       | <b>xi</b>  |
| <b>List of Figures.....</b>                                       | <b>xii</b> |
| <b>Nomenclature.....</b>                                          | <b>xvi</b> |
| <br>                                                              |            |
| <b>1 Introduction.....</b>                                        | <b>1</b>   |
| 1.1 Background .....                                              | 1          |
| 1.2 Literature Review .....                                       | 2          |
| 1.2.1 Topology Optimization Methods.....                          | 3          |
| 1.2.2 Topological Design of Metamaterials.....                    | 10         |
| 1.2.3 Topological Design of Scaffold Architectures .....          | 12         |
| 1.3 Contribution and Organization of the Thesis .....             | 14         |
| <br>                                                              |            |
| <b>2 Homogenization Method .....</b>                              | <b>16</b>  |
| 2.1 Homogenization Theory .....                                   | 16         |
| 2.2 Homogenization Method for Elasticity Problem.....             | 19         |
| 2.3 Numerical Homogenization Method and Examples.....             | 23         |
| 2.3.1 Calculate Effective Elasticity Tensor for 2D Composite..... | 24         |
| 2.3.2 Calculate Effective Elasticity Tensor for 3D Composite..... | 26         |
| <br>                                                              |            |
| <b>3 Level Set Method for Topology Optimization.....</b>          | <b>29</b>  |
| 3.1 Representation of the Boundary via LSM.....                   | 29         |
| 3.2 Hamilton-Jacobi Equations and Numerical Solution .....        | 30         |

|                                                                                                |           |
|------------------------------------------------------------------------------------------------|-----------|
| 3.2.1 Hamilton-Jacobi Equations.....                                                           | 30        |
| 3.2.2 Discrete Solution to Hamilton-Jacobi Equations.....                                      | 32        |
| 3.3 Quantities Approximation in Level Set Function.....                                        | 34        |
| 3.3.1 Quantities Approximation.....                                                            | 34        |
| 3.3.2 Numerical Example for Propagation of LSF .....                                           | 37        |
| 3.3.3 Numerical Example for Mean Curvature Flow (1).....                                       | 40        |
| 3.3.4 Numerical Example for Mean Curvature Flow (2).....                                       | 42        |
| 3.4 Numerical Issues of Level Set Method .....                                                 | 44        |
| 3.4.1 Re-Initialization of Level Set Surface .....                                             | 44        |
| 3.4.2 Numerical Example for Re-Initialization .....                                            | 46        |
| 3.4.3 Velocity Extension.....                                                                  | 48        |
| 3.4.4 Numerical Example for Velocity Extension.....                                            | 49        |
| <br>                                                                                           |           |
| <b>4 A Parameterized Level Set Method for Structural Shape and Topology Optimization .....</b> | <b>53</b> |
| 4.1 Parameterization of Shape and Topology Optimization .....                                  | 53        |
| 4.1.1 Compactly Supported Radial Basis Functions .....                                         | 54        |
| 4.1.2 Parameterization of the Level Set Function.....                                          | 61        |
| 4.2 Shape Derivative of the Optimization Problem .....                                         | 63        |
| 4.3 Optimization Method .....                                                                  | 66        |
| 4.3.1 Optimality Criteria Method .....                                                         | 66        |
| 4.3.2 The Method of Moving Asymptotes.....                                                     | 70        |
| 4.4 Numerical Examples .....                                                                   | 74        |
| 4.4.1 Mitchell-Type Structure.....                                                             | 74        |
| 4.4.2 Cantilever Beam A.....                                                                   | 79        |
| 4.4.3 Cantilever Beam B.....                                                                   | 87        |
| <br>                                                                                           |           |
| <b>5 Design of Mechanical Metamaterials.....</b>                                               | <b>93</b> |
| 5.1 Multi-Phase Level Set Method.....                                                          | 93        |

|                                                                                         |            |
|-----------------------------------------------------------------------------------------|------------|
| 5.2 Multi-Phase Material Representation Model .....                                     | 96         |
| 5.3 Design of Multi-Phase Composites .....                                              | 98         |
| 5.3.1 Multi-Phase Material Representation Model .....                                   | 98         |
| 5.3.2 Calculation of Effective Material Properties .....                                | 99         |
| 5.3.3 Numerical Implementation .....                                                    | 101        |
| 5.3.4 Thermoelatic Metamaterials .....                                                  | 104        |
| 5.3.5 Multifunctional Metamaterials .....                                               | 109        |
| 5.4 Numerical Examples .....                                                            | 111        |
| 5.4.1 Metamaterials with Extreme Thermal Expansion .....                                | 111        |
| 5.4.2 Metamaterials with ZTE .....                                                      | 118        |
| 5.4.3 Metamaterials with NTE.....                                                       | 120        |
| 5.4.4 Multifunctional Metamaterial .....                                                | 122        |
| 5.4.5 Summary.....                                                                      | 136        |
| <b>6 Design of Tissue Engineering Scaffold Architecture .....</b>                       | <b>137</b> |
| 6.1 Homogenization of Elasticity and Permeability.....                                  | 137        |
| 6.2 Multi-Objective Optimization Problem.....                                           | 140        |
| 6.2.1 Level Set Material Description Model.....                                         | 140        |
| 6.2.2 Formulation of the Optimization Problem by PLSM .....                             | 141        |
| 6.3 Numerical Implementation of the Multi-Objective Topology Optimization Problem ..... | 143        |
| 6.4 Numerical Examples .....                                                            | 144        |
| 6.4.1 Design Results with Different Mesh Level.....                                     | 145        |
| 6.4.2 Convergent Histories .....                                                        | 147        |
| 6.4.3 Optimal Designs with Different Porosities.....                                    | 151        |
| 6.4.4 Summary.....                                                                      | 160        |
| <b>7 Conclusions and Future Work .....</b>                                              | <b>160</b> |
| 7.1 Conclusions .....                                                                   | 160        |

7.2 Future Work ..... 161

**References ..... 163**

# List of Tables

|                                                                                    |     |
|------------------------------------------------------------------------------------|-----|
| Table 5-1 Thermoelastic parameters of optimal microstructures .....                | 116 |
| Table 5-2 Thermoelastic parameters for optimal microstructures .....               | 118 |
| Table 5-3 Thermoelastic parameters for optimal microstructures .....               | 120 |
| Table 5-4 Initial parameters and initial design for Case (1).....                  | 123 |
| Table 5-5 Initial parameters and corresponding solutions for Case (1).....         | 124 |
| Table 5-6 Initial parameters and optimal results for Case (2).....                 | 127 |
| Table 5-7 Initial parameters and corresponding optimal solutions for Case (3)..... | 131 |
| Table 5-8 Initial parameters and corresponding optimal solutions for Case (4)..... | 134 |
| Table 6-1 Optimization parameters and properties of designed microstructures ..... | 146 |
| Table 6-2 Optimal designs of scaffold architecture under the porosity 40%.....     | 153 |
| Table 6-3 Optimal designs of scaffold architecture under the porosity 50%.....     | 154 |
| Table 6-4 Optimal designs of scaffold architecture under the porosity 70%.....     | 155 |
| Table 6-5 Initial parameters and corresponding optimal solutions.....              | 156 |

# List of Figures

|                                                                                                  |    |
|--------------------------------------------------------------------------------------------------|----|
| Figure 2.1 Characteristic dimension of inhomogeneity and scale enlargement.....                  | 18 |
| Figure 2.2 Elasticity problem for composite with periodic microstructures.....                   | 20 |
| Figure 2.3 Periodicity conditions of the unit cell.....                                          | 23 |
| Figure 2.4 (a) Geometry of the unit cell; (b) finite element mesh of the unit cell .....         | 25 |
| Figure 2.5 The deformation of unit cell under different load cases .....                         | 26 |
| Figure 2.6 (a) Geometry of the unit cell; (b) Finite element mesh of the unit cell .....         | 27 |
| Figure 3.1 boundary representation using 3D level set surface .....                              | 30 |
| Figure 3.2 Numerically approximated Heaviside function.....                                      | 35 |
| Figure 3.3 Numerically approximated Dirac function .....                                         | 36 |
| Figure 3.4 Initial level set function .....                                                      | 38 |
| Figure 3.5 The propagation of LSF in normal speed at iteration 15, 30, 45, and 70. ....          | 39 |
| Figure 3.6 The evolution of mean curvature flow.....                                             | 42 |
| Figure 3.7 The evolution of mean curvature flow 2.....                                           | 44 |
| Figure 3.8 The process of re-initialing the level set function as a signed distance function     | 48 |
| Figure 3.9 Initial zero level set and correspondent 3d surface of the level set function.....    | 50 |
| Figure 3.10 The process of velocity extension .....                                              | 52 |
| Figure 4.1 Supported domain of knot $i$ with radius $d_{m_i}$ .....                              | 55 |
| Figure 4.2 (a): Shapes of Wendland-C2; (b), (c):its derivatives in the $X$ and $Y$ directions... | 57 |
| Figure 4.3 (a): Shapes of Wendland-C4; (b), (c):its derivatives in the $X$ and $Y$ directions..  | 59 |
| Figure 4.4 (a): Shapes of Wendland-C6; (b), (c):its derivatives in the $X$ and $Y$ directions..  | 60 |

|                                                                                                                    |     |
|--------------------------------------------------------------------------------------------------------------------|-----|
| Figure 4.5 Design domain of the Mitchell-type structure .....                                                      | 75  |
| Figure 4.6 The evolution process of Mitchell-type structure .....                                                  | 77  |
| Figure 4.7 The evolution process of material distribution for Mitchell-type structure.....                         | 78  |
| Figure 4.8 The convergent histories of objective and volume constraint .....                                       | 79  |
| Figure 4.9 Design domain of the cantilever beam .....                                                              | 80  |
| Figure 4.10 The evolution process of cantilever beam .....                                                         | 82  |
| Figure 4.11 The evolution process of material distribution for cantilever beam .....                               | 83  |
| Figure 4.12 The convergent histories of objective and volume constraint .....                                      | 84  |
| Figure 4.13 (a) Optimal configuration and (b) level set surface with mesh 80×48 .....                              | 85  |
| Figure 4.14 The convergent histories with mesh 80×48 .....                                                         | 85  |
| Figure 4.15 (a) Optimal configuration and (b) level set surface with mesh 140×84 .....                             | 86  |
| Figure 4.16 The convergent histories with mesh 140×84 .....                                                        | 86  |
| Figure 4.17 Design domain of cantilever beam .....                                                                 | 87  |
| Figure 4.18 The evolution process of cantilever beam .....                                                         | 89  |
| Figure 4.19 The evolution process of material distribution for cantilever beam .....                               | 90  |
| Figure 4.20 The convergent histories of objective and volume constraint .....                                      | 91  |
| Figure 4.21 Optimized topologies comparison with different optimization techniques.....                            | 92  |
| Figure 5.1 Distribution of multi-phase material in the design domain .....                                         | 97  |
| Figure 5. 2 Schematic of multi-phase periodic structures with microstructures.....                                 | 99  |
| Figure 5.3 (a) Orthotropy with two symmetry axes; (b) Orthotropy with four symmetry axes<br>(square symmetry)..... | 103 |
| Figure 5.4 Flowchart of the numerical implementation with MPLSM.....                                               | 103 |
| Figure 5.5 Plots of design variables and their level set surfaces ( $\Phi^1$ and $\Phi^2$ ).....                   | 114 |

|                                                                                                                 |     |
|-----------------------------------------------------------------------------------------------------------------|-----|
| Figure 5.6 Contour plots (first row) and level set surfaces (second row) for solid material phases .....        | 115 |
| Figure 5.7 Convergence of the objective function .....                                                          | 115 |
| Figure 5.8 Convergence of the volume constraints.....                                                           | 116 |
| Figure 5.9 Optimal microstructures with extreme effective thermal properties .....                              | 117 |
| Figure 5.10 Optimal microstructures for zero effective thermal expansion .....                                  | 119 |
| Figure 5.11 Optimal microstructures for negative effective thermal expansion.....                               | 121 |
| Figure 5.12 Convergent histories of the objective function.....                                                 | 128 |
| Figure 5.13 (a) Contour of solid 1; (b) Contour of solid 2; (c) Contours of solids.....                         | 128 |
| Figure 5.14 (a) LS surface of solid 1; (b) LS surface of solid 2; (c) Material distribution of two solids ..... | 129 |
| Figure 5.15 Convergent histories of the objective function.....                                                 | 131 |
| Figure 5.16 (a) LS contour of solid 1; (b) LS contour of solid 2;.....                                          | 132 |
| Figure 5.17 (a) LS surface of solid 1; (b) LS surface of solid 2; .....                                         | 132 |
| Figure 5.18 Convergent histories of the objective function.....                                                 | 134 |
| Figure 5.19 (a) LS contour of solid 1; (b) LS contour of solid 2; (c) LS contours of two solids .....           | 135 |
| Figure 5.20 (a) LS surface of solid 1; (b) LS surface of solid 2; (c) Material distribution of two solids ..... | 135 |
| Figure 6.1 Optimization results for porosity 50% under different mesh level.....                                | 146 |
| Figure 6.2 The optimization process of microstructured metamaterial .....                                       | 149 |
| Figure 6.3 Repetitive unit cell of the optimal configuration.....                                               | 150 |
| Figure 6.4 Convergent histories of the objective function.....                                                  | 150 |



Figure 6.5 Compare the achieved properties of optimal design with the upper Hashin-Shtrikman bound ..... 159

Figure 6.6 Compare the achieved properties of optimal design with the computational results from Challis (2012)..... 159

# Nomenclature

## Global abbreviations used in this thesis

|         |   |                                                   |
|---------|---|---------------------------------------------------|
| CAMD    | = | Continuous approximation of material distribution |
| CFL     | = | Courant–Friedrichs–Lewy                           |
| CS-RBF  | = | Compactly supported radial basis function         |
| EFG     | = | Element-free Galerkin                             |
| ESO     | = | Evolutionary structural optimization              |
| FEM     | = | Finite element method                             |
| GCMMA   | = | globally convergent method of moving asymptotes   |
| H-J PDE | = | Hamilton–Jacobi partial differential equation     |
| KKT     | = | Karush-Kuhn-Tucker                                |
| LSFs    | = | Level set functions                               |
| LSM     | = | Level set-based method                            |
| MLPG    | = | Meshless local Petrov-Galerkin                    |
| MLS     | = | Moving least squares                              |
| MMA     | = | Method of moving asymptotes                       |
| MPLSM   | = | Multi-phase level set method                      |
| NPR     | = | Negative Poisson’s ratios                         |
| NTE     | = | Negative thermal expansion                        |

|      |   |                                            |
|------|---|--------------------------------------------|
| OC   | = | Optimality criteria                        |
| PDI  | = | Pointwise density interpolation            |
| PLSM | = | Parametric level set method                |
| PIM  | = | Point interpolation method                 |
| PUM  | = | Partition of unity method                  |
| PDE  | = | Partial differential equation              |
| RBFs | = | Radius basis functions                     |
| RPIM | = | Radial point interpolation method          |
| RKPM | = | Reproducing kernel particle method         |
| SIMP | = | Solid isotropic material with penalization |
| SPH  | = | Smooth particle hydrodynamic method        |
| ZTE  | = | Zero thermal expansion                     |
| 2D   | = | Two dimensional                            |
| 3D   | = | Three dimensional                          |